

PRISMA

Section and Topic	Item #	Checklist item	Location where item is reported
TITLE			
Title	1	Identify the report as a systematic review.	1
ABSTRACT			
Abstract	2	See the PRISMA 2020 for Abstracts checklist.	1-2
INTRODUCTION			
Rationale	3	Describe the rationale for the review in the context of existing knowledge.	3
Objectives	4	Provide an explicit statement of the objective(s) or question(s) the review addresses.	3
METHODS			
Eligibility criteria	5	Specify the inclusion and exclusion criteria for the review and how studies were grouped for the syntheses.	4-5
Information sources	6	Specify all databases, registers, websites, organisations, reference lists and other sources searched or consulted to identify studies. Specify the date when each source was last searched or consulted.	4
Search strategy	7	Present the full search strategies for all databases, registers and websites, including any filters and limits used.	Supplement 1
Selection process	8	Specify the methods used to decide whether a study met the inclusion criteria of the review, including how many reviewers screened each record and each report retrieved, whether they worked independently, and if applicable, details of automation tools used in the process.	4-5
Data collection process	9	Specify the methods used to collect data from reports, including how many reviewers collected data from each report, whether they worked independently, any processes for obtaining or confirming data from study investigators, and if applicable, details of automation tools used in the process.	5-6
Data items	10a	List and define all outcomes for which data were sought. Specify whether all results that were compatible with each outcome domain in each study were sought (e.g. for all measures, time points, analyses), and if not, the methods used to decide which results to collect.	5-6
	10b	List and define all other variables for which data were sought (e.g. participant and intervention characteristics, funding sources). Describe any assumptions made about any missing or unclear information.	5-6
Study risk of bias assessment	11	Specify the methods used to assess risk of bias in the included studies, including details of the tool(s) used, how many reviewers assessed each study and whether they worked independently, and if applicable, details of automation tools used in the process.	6-7
Effect measures	12	Specify for each outcome the effect measure(s) (e.g. risk ratio, mean difference) used in the synthesis or presentation of results.	7-8
Synthesis methods	13a	Describe the processes used to decide which studies were eligible for each synthesis (e.g. tabulating the study intervention characteristics and comparing against the planned groups for each synthesis (item #5)).	Table 1 5-6
	13b	Describe any methods required to prepare the data for presentation or synthesis, such as handling of missing summary statistics, or data conversions.	7-8
	13c	Describe any methods used to tabulate or visually display results of individual studies and syntheses.	7-8
	13d	Describe any methods used to synthesize results and provide a rationale for the choice(s). If meta-analysis was performed, describe the model(s), method(s) to identify the presence and extent of statistical heterogeneity, and software package(s) used.	7-8
	13e	Describe any methods used to explore possible causes of heterogeneity among study results (e.g. subgroup analysis, meta-regression).	7
	13f	Describe any sensitivity analyses conducted to assess robustness of the synthesized results.	7-8
Reporting bias assessment	14	Describe any methods used to assess risk of bias due to missing results in a synthesis (arising from reporting biases).	6
Certainty assessment	15	Describe any methods used to assess certainty (or confidence) in the body of evidence for an outcome.	7
RESULTS			
Study selection	16a	Describe the results of the search and selection process, from the number of records identified in the search to the number of studies included in the review, ideally using a flow diagram.	Figure 1

Section and Topic	Item #	Checklist item	Location where item is reported
	16b	Cite studies that might appear to meet the inclusion criteria, but which were excluded, and explain why they were excluded.	Figure 1
Study characteristics	17	Cite each included study and present its characteristics.	Table 1
Risk of bias in studies	18	Present assessments of risk of bias for each included study.	11
Results of individual studies	19	For all outcomes, present, for each study: (a) summary statistics for each group (where appropriate) and (b) an effect estimate and its precision (e.g. confidence/credible interval), ideally using structured tables or plots.	11-15
Results of syntheses	20a	For each synthesis, briefly summarise the characteristics and risk of bias among contributing studies.	Figure 2
	20b	Present results of all statistical syntheses conducted. If meta-analysis was done, present for each the summary estimate and its precision (e.g. confidence/credible interval) and measures of statistical heterogeneity. If comparing groups, describe the direction of the effect.	11-15
	20c	Present results of all investigations of possible causes of heterogeneity among study results.	17
	20d	Present results of all sensitivity analyses conducted to assess the robustness of the synthesized results.	11-15
Reporting biases	21	Present assessments of risk of bias due to missing results (arising from reporting biases) for each synthesis assessed.	11
Certainty of evidence	22	Present assessments of certainty (or confidence) in the body of evidence for each outcome assessed.	15
DISCUSSION			
Discussion	23a	Provide a general interpretation of the results in the context of other evidence.	16-18
	23b	Discuss any limitations of the evidence included in the review.	17-18
	23c	Discuss any limitations of the review processes used.	17-18
	23d	Discuss implications of the results for practice, policy, and future research.	18
OTHER INFORMATION			
Registration and protocol	24a	Provide registration information for the review, including register name and registration number, or state that the review was not registered.	4
	24b	Indicate where the review protocol can be accessed, or state that a protocol was not prepared.	4
	24c	Describe and explain any amendments to information provided at registration or in the protocol.	N/A
Support	25	Describe sources of financial or non-financial support for the review, and the role of the funders or sponsors in the review.	N/A
Competing interests	26	Declare any competing interests of review authors.	N/A
Availability of data, code and other materials	27	Report which of the following are publicly available and where they can be found: template data collection forms; data extracted from included studies; data used for all analyses; analytic code; any other materials used in the review.	N/A

From: Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ* 2021;372:n71. doi: 10.1136/bmj.n71

	<p>tailleur[TW] OR "holuren"[TW] OR "ib-100"[TW] OR "ib-u-ron"[TW] OR "ibacut"[TW] OR "ibalgin"[TW] OR "ibalgin baby"[TW] OR "ibalgin express"[TW] OR "ibalgin forte"[TW] OR "ibalgin gel"[TW] OR "ibalgin instant"[TW] OR "ibalgin junior"[TW] OR "ibalgin krem"[TW] OR "ibalgin neo"[TW] OR "ibalgin rapidcaps"[TW] OR "ibenal"[TW] OR "ibenal forte"[TW] OR "ibenal max"[TW] OR "ibetin"[TW] OR "iblasin"[TW] OR "ibofen"[TW] OR "ibosure"[TW] OR "ibu"[TW] OR "ibu akut"[TW] OR "ibu slow"[TW] OR "ibu-4"[TW] OR "ibu-6"[TW] OR "ibu-8"[TW] OR "ibu-dent"[TW] OR "ibu-puren"[TW] OR "ibu-slow"[TW] OR "ibu-tab"[TW] OR "ibu-tab 200"[TW] OR "ibuaristo akut"[TW] OR "ibubel"[TW] OR "ibuberl"[TW] OR "ibubeta"[TW] OR "ibucalm"[TW] OR "ibucalmin"[TW] OR "ibucaps"[TW] OR "ibudak"[TW] OR "ibudex"[TW] OR "ibudol"[TW] OR "ibudolor"[TW] OR "ibufarmalid"[TW] OR "ibufem"[TW] OR "ibufen"[TW] OR "ibuflam"[TW] OR "ibufug"[TW] OR "ibugard"[TW] OR "ibugel"[TW] OR "ibugel forte"[TW] OR "ibugesic"[TW] OR "ibuhexal akut"[TW] OR "ibukern"[TW] OR "ibukey"[TW] OR "ibuklaph"[TW] OR "ibuleve"[TW] OR "ibulgan"[TW] OR "ibuloid"[TW] OR "ibum"[TW] OR "ibum femina"[TW] OR "ibum forte"[TW] OR "ibum supermax"[TW] OR "ibumal"[TW] OR "ibumax"[TW] OR "ibumax forte"[TW] OR "ibumed"[TW] OR "ibumenol"[TW] OR "ibumetin forte"[TW] OR "ibumousse"[TW] OR "ibunid"[TW] OR "ibunin"[TW] OR "ibupar"[TW] OR "ibupar forte"[TW] OR "ibupen"[TW] OR "ibupirac"[TW] OR "ibupradoll"[TW] OR "ibuprex"[TW] OR "ibuprex max"[TW] OR "ibuprin"[TW] OR "ibuprocin"[TW] OR "ibuprofen klinge 600"[TW] OR "ibuprofen potassium"[TW] OR "ibuprofen sodium"[TW] OR "ibuprofene"[TW] OR "ibuprohm"[TW] OR "ibuprom"[TW] OR "ibuprom forte"[TW] OR "ibuprom max"[TW] OR "ibuprom sport"[TW] OR "iburapid"[TW] OR "ibured"[TW] OR "ibured forte"[TW] OR "iburon"[TW] OR "ibusal"[TW] OR "ibusan"[TW] OR "ibusolve"[TW] OR "ibuspray"[TW] OR "ibustar"[TW] OR "ibustar forte"[TW] OR "ibustick"[TW] OR "ibusynth"[TW] OR "ibutabs"[TW] OR "ibutact"[TW] OR "ibutad"[TW] OR "ibuteva"[TW] OR "ibutop"[TW] OR "ibuvalen"[TW] OR "ibuvisa"[TW] OR "ibux"[TW] OR "ibuxin"[TW] OR "idyl sr"[TW] OR "ifenin"[TW] OR "imofen"[TW] OR "infant's motrin"[TW] OR "infibu"[TW] OR "inflanor"[TW] OR "inflanor forte"[TW] OR "inoflon"[TW] OR "ipren"[TW] OR "iprensa"[TW] OR "irfen"[TW] OR "junifen"[TW] OR "junior strength advil"[TW] OR "junior strength ibuprofen"[TW] OR "junior strength motrin"[TW] OR "junipro"[TW] OR "kendo"[TW] OR "kenfen"[TW] OR "kidofen"[TW] OR "kontranatural"[TW] OR "lamidon"[TW] OR "larofen"[TW] OR "levifen"[TW] OR "librofen"[TW] OR "liderfeme"[TW] OR "liderfen"[TW] OR "lidifen"[TW] OR "liptan"[TW] OR "lopane"[TW] OR "los-u-fen"[TW] OR "lotempen"[TW] OR "malafene"[TW] OR "maxagesic"[TW] OR "mcn r 1451"[TW] OR "medicol"[TW] OR "medifen"[TW] OR "medipren"[TW] OR "mediprin"[TW] OR "melfen"[TW] OR "mensoton"[TW] OR "metafen"[TW] OR "midol 200"[TW] OR "midol liquid gels"[TW] OR "mig"[TW] OR "mig forte"[TW] OR "mig junior"[TW] OR "mig pediatric"[TW] OR "milifen"[TW] OR "miofen"[TW] OR "momenflogo"[TW] OR "moment"[TW] OR "momentact"[TW] OR "momentact analgesico"[TW] OR "momentfene"[TW] OR "motrin childrens"[TW] OR "motrin ib"[TW] OR "motrin migraine pain"[TW] OR "mynosedin"[TW] OR "nagifen-d"[TW] OR "napacetin"[TW] OR "neforan"[TW] OR "neo borocillina infiammazione e dolore"[TW] OR "neobrufen"[TW] OR "neobrufen retard"[TW] OR "neodol"[TW] OR "neodol forte"[TW] OR "neofen"[TW] OR "neofen forte"[TW] OR "neofen neo-forte"[TW] OR "neofen plus"[TW] OR "nerofen"[TW] OR "neutropain"[TW] OR "nobfelon"[TW] OR "nobgen"[TW] OR "norflam-t"[TW] OR "noritis"[TW] OR "norton"[TW] OR "novidol"[TW] OR "novogent"[TW] OR "novogent n"[TW] OR "novoprofen"[TW] OR "nugin"[TW] OR "nureflex"[TW] OR "nureflex lp"[TW] OR "nurodon"[TW] OR "nurofen"[TW] OR "nurofen active"[TW] OR "nurofen expres"[TW] OR "nurofen express"[TW] OR "nurofen express femina"[TW] OR "nurofen express forte"[TW] OR "nurofen fastine"[TW] OR "nurofen flextin"[TW] OR "nurofen for children"[TW] OR "nurofen forte"[TW] OR "nurofen forte express"[TW] OR "nurofen gel"[TW] OR "nurofen instant"[TW] OR "nurofen junior"[TW] OR "nurofen musc"[TW] OR "nurofen non-aqua"[TW] OR "nurofen patch"[TW] OR "nurofen rapid"[TW] OR "nurofen rapid forte"[TW] OR "nurofen recovery"[TW] OR "nurofen xpress"[TW] OR "nurofen zavance"[TW] OR "nurofencaps"[TW] OR "nurofenjunior"[TW] OR "nurofenkid"[TW] OR "nurofenplast"[TW] OR "nurofentabs"[TW] OR "nurofenteen"[TW] OR "nuroflex"[TW] OR "optalidon ibu"[TW] OR "optifen"[TW] OR "opturem"[TW] OR "ostarin"[TW] OR "ostofen"[TW] OR "ozonol"[TW] OR "paduden"[TW] OR "paduden forte"[TW] OR "paduden sr"[TW] OR "paediatric advil"[TW] OR "paidofebril"[TW] OR "paidofen"[TW] OR "panactive"[TW] OR "panafen"[TW] OR "pathofen"[TW] OR "pedea"[TW] OR "pediacare fever"[TW] OR "pediatric advil"[TW] OR "pediprofen"[TW] OR "perdophen pediatrie"[TW] OR "perofen"[TW] OR "pfeil zahnschmerz forte"[TW] OR "phorpain"[TW] OR "phorpain gel"[TW] OR "pirexin"[TW] OR "potassium ibuprofen"[TW] OR "proartinal"[TW] OR "profen"[TW] OR "profeno"[TW] OR "proff"[TW] OR "proflex"[TW] OR "proris"[TW] OR "provin"[TW] OR "provon"[TW] OR "quadrax"[TW] OR "radian b"[TW] OR "rafen"[TW] OR "ranofen"[TW] OR "rapidol s"[TW] OR "rapidophen"[TW] OR "rapidophen forte"[TW] OR "ratiodorol"[TW] OR "rebugen"[TW] OR "renidon"[TW] OR "reuprofen"[TW] OR "reuvol"[TW] OR "rhelafen"[TW] OR "rhelafen forte"[TW] OR "riflonet"[TW] OR "rofixdol febbre e dolore"[TW] OR "roidenin"[TW] OR "rolibfar"[TW] OR "rufan"[TW] OR "rupan"[TW] OR "sakitol"[TW] OR "saniprom"[TW] OR "saridon n"[TW] OR "sarixell"[TW] OR "schmerz-dolgit"[TW] OR "schufen"[TW] OR "seclodin"[TW] OR "sodium ibuprofen"[TW] OR "solibu"[TW] OR "solufen lidose"[TW] OR "solvium"[TW] OR "spalt"[TW] OR "spalt forte"[TW] OR "spalt migrane"[TW] OR "spalt mobil"[TW] OR "spididol analgesico"[TW] OR "stribu"[TW] OR "subitene"[TW] OR "syafen"[TW] OR "syntofene"[TW] OR "tab-profen"[TW] OR "tabalon"[TW] OR "tabalon 400"[TW] OR "taskine"[TW] OR "tatanal"[TW] OR "tefin"[TW] OR "tofen"[TW] OR "tendar"[TW] OR "tricalma"[TW] OR "trifene"[TW] OR "tvingestin"[TW] OR "umafen"[TW] OR "unipro"[TW] OR "upfen"[TW] OR "uprofen"[TW] OR "urem"[TW] OR "viamal febbre e dolore"[TW] OR "x 0002"[TW] OR "x0002"[TW] OR "zafen"[TW] OR "zavryl"[TW] OR "zenalgin"[TW] OR "zofen"[TW] OR "Intravenous ibuprofen"[TW] OR "parenteral ibuprofen"[TW] OR "Ibuprofeny"[TW]</p>
#9	"Acetaminophen"[Mesh]
#10	<p>"Acetaminophen"[TW] OR "Acetaminophen"[TW] OR "Hydroxyacetanilide"[TW] OR "APAP"[TW] OR "p-Acetamidophenol"[TW] OR "p-Hydroxyacetanilide"[TW] OR "Paracetamol"[TW] OR "N-(4-Hydroxyphenyl)acetanilide"[TW] OR "Acetamidophenol"[TW] OR "N-Acetyl-p-aminophenol"[TW] OR "Acephen"[TW] OR "Acetaco"[TW] OR "Tylenol"[TW] OR "Anacin-3"[TW] OR "Anacin 3"[TW] OR "Anacin3"[TW] OR "Datril"[TW] OR "Panadol"[TW] OR "Acamol"[TW] OR "Algotropyl"[TW] OR "4 acetamidophenol"[TW] OR "4 acetaminophenol"[TW] OR "4 acetylamino phenol"[TW] OR "4</p>

hydroxyacetanilide"[TW] OR "4' hydroxyacetanilide"[TW] OR "a-mol"[TW] OR "abenol"[TW] OR "acamoli forte suppositories for kids"[TW] OR "acenol"[TW] OR "acet suppositories"[TW] OR "acetaflex"[TW] OR "acetalgin"[TW] OR "acetamino phenol"[TW] OR "acetaminophene"[TW] OR "acetaminophenol"[TW] OR "acetamol"[TW] OR "acetomenophen"[TW] OR "acetylamino phenol"[TW] OR "adorem"[TW] OR "afebrin"[TW] OR "algiafin"[TW] OR "algocit"[TW] OR "alfofen"[TW] OR "algotase mono"[TW] OR "alphagesic"[TW] OR "altridexamol"[TW] OR "alvedon"[TW] OR "amadil"[TW] OR "amadol"[TW] OR "anadin"[TW] OR "anaflon"[TW] OR "analgiser"[TW] OR "antidol"[TW] OR "apamide"[TW] OR "apiredol"[TW] OR "apiretal"[TW] OR "apirex"[TW] OR "apotel"[TW] OR "arax"[TW] OR "arfen"[TW] OR "arthralgen"[TW] OR "atamel"[TW] OR "ben-u-ron"[TW] OR "benuron"[TW] OR "biogesic"[TW] OR "biogesic suspension"[TW] OR "bodrex"[TW] OR "calapol"[TW] OR "calodol"[TW] OR "calonal"[TW] OR "calpol"[TW] OR "causalon"[TW] OR "cemol"[TW] OR "christamol"[TW] OR "claradol"[TW] OR "clocephen"[TW] OR "cp 500"[TW] OR "cp500"[TW] OR "croix blanche mono"[TW] OR "cupanol"[TW] OR "dafalgan"[TW] OR "dafalgan forte"[TW] OR "dafalgancaps"[TW] OR "dafalganhop"[TW] OR "dafalgantabs"[TW] OR "daga"[TW] OR "daleron"[TW] OR "daro"[TW] OR "defebryl"[TW] OR "depon"[TW] OR "depyretin"[TW] OR "difenatil"[TW] OR "dirox"[TW] OR "dismifen"[TW] OR "disprol"[TW] OR "dolal"[TW] OR "dolex"[TW] OR "dolex 500"[TW] OR "dolflash"[TW] OR "doliprane"[TW] OR "dolipranecaps"[TW] OR "dolitabs"[TW] OR "dolko"[TW] OR "dolocatil"[TW] OR "dolofen"[TW] OR "dololavi"[TW] OR "dolomol"[TW] OR "doloramol"[TW] OR "dolorin"[TW] OR "dolorol"[TW] OR "dolostop"[TW] OR "dolotec"[TW] OR "dolotemp"[TW] OR "dolprone"[TW] OR "dolstic"[TW] OR "doltem"[TW] OR "drilan"[TW] OR "dristan af"[TW] OR "dulcifeb"[TW] OR "duorol"[TW] OR "dymadon"[TW] OR "efetamol"[TW] OR "efferaldol flas"[TW] OR "efferalgan"[TW] OR "efferalgan 500"[TW] OR "efferalgan forte"[TW] OR "efferalganmed"[TW] OR "efferalganodis"[TW] OR "efferamol"[TW] OR "efferegan"[TW] OR "enelfa"[TW] OR "eneril"[TW] OR "eraldor"[TW] OR "eu med"[TW] OR "exopon"[TW] OR "expandol"[TW] OR "febrectal"[TW] OR "febridol"[TW] OR "febrilix"[TW] OR "fendon"[TW] OR "ferveix"[TW] OR "fibrinol"[TW] OR "fizamol"[TW] OR "fortolin"[TW] OR "galpharm six plus pain relief"[TW] OR "gelocatil"[TW] OR "geluprane 500"[TW] OR "gewadal-pamol"[TW] OR "gunaceta"[TW] OR "headache strength allerest"[TW] OR "hedex"[TW] OR "helporal"[TW] OR "holdofeb"[TW] OR "infants' feverall"[TW] OR "influbene c"[TW] OR "influbene n"[TW] OR "injectapap"[TW] OR "janupap"[TW] OR "kamolas"[TW] OR "kyofen"[TW] OR "lekadol"[TW] OR "lekadol direkt"[TW] OR "lekadol forte"[TW] OR "lemgrip"[TW] OR "lemsip cold and flu"[TW] OR "letamol"[TW] OR "liquiprin"[TW] OR "lotemp"[TW] OR "lupocet"[TW] OR "lupocet forte"[TW] OR "lyteca"[TW] OR "malidens"[TW] OR "mandanol"[TW] OR "medamol"[TW] OR "medipyrin"[TW] OR "meforagesic"[TW] OR "megapar"[TW] OR "megapar forte"[TW] OR "metagesic"[TW] OR "metalid"[TW] OR "mexalen"[TW] OR "milidon 500"[TW] OR "minopan"[TW] OR "mobistix"[TW] OR "instant"[TW] OR "mypara"[TW] OR "n acetyl 4 aminophenol"[TW] OR "n acetyl para aminophenol"[TW] OR "nalgesik"[TW] OR "napamol"[TW] OR "napap"[TW] OR "naprex"[TW] OR "nebs"[TW] OR "nektol 500"[TW] OR "neocitran"[TW] OR "neodalmin"[TW] OR "neopap"[TW] OR "neval"[TW] OR "nideran"[TW] OR "nilapur"[TW] OR "nirolex febbre e dolore"[TW] OR "nisidinasol"[TW] OR "nobedon"[TW] OR "nuridol"[TW] OR "nysacetol"[TW] OR "ofirmev"[TW] OR "pacemol"[TW] OR "pacimol"[TW] OR "padolieve"[TW] OR "padolieve max"[TW] OR "pamal"[TW] OR "pamol"[TW] OR "pamol f"[TW] OR "pamol flash"[TW] OR "panacit"[TW] OR "panadol actifast"[TW] OR "panadol advance"[TW] OR "panadol extra strength"[TW] OR "panadol fasttabs"[TW] OR "panadol forte"[TW] OR "panadol hot"[TW] OR "panadol max strength cold and flu"[TW] OR "panadol novum"[TW] OR "panadol optizorb"[TW] OR "panadol pore"[TW] OR "panadol rapid"[TW] OR "panadol soluble"[TW] OR "panadol soluble max"[TW] OR "panadol zapp"[TW] OR "panamax"[TW] OR "panaprex"[TW] OR "panasorb"[TW] OR "panasorbe"[TW] OR "panodil"[TW] OR "para acetamidophenol"[TW] OR "para acetylamino phenol"[TW] OR "para hydroxyacetanilide"[TW] OR "para suppo"[TW] OR "para-hot"[TW] OR "para-supps"[TW] OR "para-tabs"[TW] OR "paraceon"[TW] OR "paracet"[TW] OR "paraceta 500"[TW] OR "paracetalgin"[TW] OR "paracetaminophenol"[TW] OR "paracetamol ester"[TW] OR "paracetamole"[TW] OR "paracut"[TW] OR "paradolor"[TW] OR "parafizz"[TW] OR "parafusiv"[TW] OR "parageniol"[TW] OR "paragin"[TW] OR "paralen"[TW] OR "paralen rapid"[TW] OR "paralief"[TW] OR "paralink"[TW] OR "paralyoc"[TW] OR "paramax"[TW] OR "paramax forte"[TW] OR "paramax junior"[TW] OR "paramax rap"[TW] OR "paramax rapid"[TW] OR "paramegal"[TW] OR "paramidol"[TW] OR "paramolan"[TW] OR "parapaed"[TW] OR "parapaed junior"[TW] OR "parapaed six plus"[TW] OR "paraphar"[TW] OR "parapo"[TW] OR "parapyrex"[TW] OR "paraserts"[TW] OR "parasolve"[TW] OR "paratabs"[TW] OR "paravegano"[TW] OR "paravescent"[TW] OR "paravict"[TW] OR "parvid"[TW] OR "pasolind"[TW] OR "pasolind n"[TW] OR "paximol"[TW] OR "pe-tam"[TW] OR "pedicetamol"[TW] OR "pedipan"[TW] OR "penral-night"[TW] OR "perfalgan"[TW] OR "phenaphen"[TW] OR "phizamol"[TW] OR "pinex"[TW] OR "piros"[TW] OR "polarfen"[TW] OR "predimol"[TW] OR "prompt"[TW] OR "prosinus"[TW] OR "protalgon"[TW] OR "puernol"[TW] OR "pyrigesic"[TW] OR "raperon"[TW] OR "rapidol"[TW] OR "relaphen"[TW] OR "reliv"[TW] OR "remedol"[TW] OR "revanin"[TW] OR "rhinapen elixir"[TW] OR "rhodapap"[TW] OR "rowalief"[TW] OR "roxamol gelcaps"[TW] OR "rubophen"[TW] OR "salzone"[TW] OR "sanador"[TW] OR "sedarene adultes"[TW] OR "sedarene enfants"[TW] OR "sedes a"[TW] OR "serimol"[TW] OR "setamol"[TW] OR "sinaspril"[TW] OR "sinebriv"[TW] OR "sinedol"[TW] OR "sinpro"[TW] OR "snp 810"[TW] OR "snp 830"[TW] OR "snp 840"[TW] OR "snp810"[TW] OR "snp830"[TW] OR "snp840"[TW] OR "solpaone"[TW] OR "sootheze six plus"[TW] OR "supofen"[TW] OR "tabalgin"[TW] OR "tachipirin"[TW] OR "tachipirina"[TW] OR "taganopain"[TW] OR "tapar"[TW] OR "tempra"[TW] OR "tempte"[TW] OR "temzzard"[TW] OR "termadec febbre e dolore"[TW] OR "termalgin"[TW] OR "termofren"[TW] OR "teva-mexalen"[TW] OR "therimin"[TW] OR "tipol"[TW] OR "tipol max"[TW] OR "tralgon"[TW] OR "tralgon elixir"[TW] OR "tramil"[TW] OR "treuphadol"[TW] OR "turpan"[TW] OR "tylenol"[TW] OR "tylenol extra fuerte"[TW] OR "tylenol forte"[TW] OR "tylenol nr 1"[TW] OR "tylex"[TW] OR "valadol"[TW] OR "wegmal"[TW] OR "winadol"[TW] OR "winasorb"[TW] OR "xebromol"[TW] OR "xumadol"[TW] OR "zipamol"[TW] OR "zolben"[TW] OR "zydinol"[TW] OR "intravenous acetaminophen"[TW] OR "parenteral acetaminophen"[TW]

#11 #7 OR #8 OR #9 OR #10

#12 "Pain, Postoperative"[Mesh]

#13	"Pain, Postoperative"[TW] OR "Post-surgical Pain"[TW] OR "Pain, Post-surgical"[TW] OR "Post surgical Pain"[TW] OR "Pain, Post-operative"[TW] OR "Pain, Post operative"[TW] OR "Postsurgical Pain"[TW] OR "Pain, Postsurgical"[TW] OR "Post-operative Pain"[TW] OR "Post operative Pain"[TW] OR "Post-operative Pains"[TW] OR "Postoperative Pain"[TW] OR "Postoperative Pain, Acute"[TW] OR "Pain, Acute Postoperative"[TW] OR "Acute Postoperative Pain"[TW] OR "Acute Post-operative Pain"[TW] OR "Acute Post operative Pain"[TW] OR "Post-operative Pain, Acute"[TW] OR "Pain, Acute Post-operative"[TW] OR "Post operative Pain, Acute"[TW] OR "post operation pain"[TW] OR "post-surgery pain"[TW] OR "postoperation pain"[TW] OR "postsurgery pain"[TW] OR "postoperative"[TW] OR "postsurgery"[TW]
#14	"Analgesics, Opioid"[Mesh]
#15	"Analgesics, Opioid"[TW] OR "Opioid Analgesics"[TW] OR "Opioid Analgesic"[TW] OR "Analgesic, Opioid"[TW] OR "Opioids"[TW] OR "Opioid"[TW] OR "Partial Opioid Agonists"[TW] OR "Agonists, Partial Opioid"[TW] OR "Opioid Agonists, Partial"[TW] OR "Opioid Partial Agonists"[TW] OR "Agonists, Opioid Partial"[TW] OR "Partial Agonists, Opioid"[TW] OR "Full Opioid Agonists"[TW] OR "Agonists, Full Opioid"[TW] OR "Opioid Agonists, Full"[TW] OR "Opioid Full Agonists"[TW] OR "Agonists, Opioid Full"[TW] OR "Full Agonists, Opioid"[TW] OR "Opioid Mixed Agonist-Antagonists"[TW] OR "Agonist-Antagonists, Opioid Mixed"[TW] OR "Mixed Agonist-Antagonists, Opioid"[TW] OR "Opioid Mixed Agonist Antagonists"[TW] OR "narcotic analgesic agent"[TW] OR "agent, narcotic analgesic"[TW] OR "agent, narcotic analgetic"[TW] OR "anaesthetic analgesic agent"[TW] OR "analgesic anaesthetic agent"[TW] OR "analgesic anesthetic agent"[TW] OR "analgesics, narcotic"[TW] OR "analgesics, narcotic agonist antagonist"[TW] OR "analgesics, narcotic agonist-antagonist"[TW] OR "analgesics, narcotic like"[TW] OR "analgesics, narcotic-like"[TW] OR "anesthetic analgesic agent"[TW] OR "narcotic analgesic"[TW] OR "narcotic analgesics"[TW] OR "narcotic analgetic agent"[TW] OR "opioid consumption"[TW]
#16	"Analgesics, Opioid" [Pharmacological Action]
#17	"18,19-dihydroetorphine"[TW] OR "acetaminophen, hydrocodone drug combination"[TW] OR "acrylfentanyl"[TW] OR "Alfentanil"[TW] OR "Alphaprodine"[TW] OR "beta-casomorphins"[TW] OR "brorphine"[TW] OR "Buprenorphine"[TW] OR "Buprenorphine, Naloxone Drug Combination"[TW] OR "Butorphanol"[TW] OR "carfentanil"[TW] OR "Codeine"[TW] OR "crotonylfentanyl"[TW] OR "cyclopropylfentanyl"[TW] OR "deltorphin I, Ala(2)-"[TW] OR "dermorphin"[TW] OR "desomorphine"[TW] OR "Dextromoramide"[TW] OR "Dextropropoxyphene"[TW] OR "dezocine"[TW] OR "dihydrocodeine"[TW] OR "Dihydromorphine"[TW] OR "Diphenoxylate"[TW] OR "Dsuvia"[TW] OR "dynorphin (1-13)"[TW] OR "endomorphin 1"[TW] OR "endomorphin 2"[TW] OR "Enkephalin, Ala(2)-MePhe(4)-Gly(5)-"[TW] OR "Enkephalin, D-Penicillamine (2,5)-"[TW] OR "enkephalin-Met, Ala(2)-"[TW] OR "eseroline"[TW] OR "etazene"[TW] OR "Ethylketocyclazocine"[TW] OR "Ethylmorphine"[TW] OR "Etorphine"[TW] OR "Fentanyl"[TW] OR "furanyl fentanyl"[TW] OR "Heroin"[TW] OR "Hydrocodone"[TW] OR "Hydromorphone"[TW] OR "kappa-opioid agonist JT09"[TW] OR "ketobemidone"[TW] OR "Levorphanol"[TW] OR "Iofentanil"[TW] OR "Meperidine"[TW] OR "Meptazinol"[TW] OR "Methadone"[TW] OR "Methadyl Acetate"[TW] OR "Morphine"[TW] OR "Nalbuphine"[TW] OR "nocistatin"[TW] OR "normethadone"[TW] OR "O-demethyltramadol"[TW] OR "Opiate Alkaloids"[TW] OR "Opium"[TW] OR "OREX-1019"[TW] OR "Oxycodone"[TW] OR "Oxymorphone"[TW] OR "paracymethadol"[TW] OR "Pentazocine"[TW] OR "Phenazocine"[TW] OR "Phenoperidine"[TW] OR "Pirinitramide"[TW] OR "Promedol"[TW] OR "protopine"[TW] OR "Remifentanil"[TW] OR "Sufentanil"[TW] OR "Tapentadol"[TW] OR "Tilidine"[TW] OR "Tramadol"[TW] OR "tramadol, dexketoprofen drug combination"[TW] OR "tyrosyl-1,2,3,4-tetrahydro-3-isoquinolinecarbonyl-phenylalanyl-phenylalanine"[TW]
#18	"Morphine"[Mesh]
#19	"Morphine"[TW] OR "Morphia"[TW] OR "Morphine Chloride"[TW] OR "Chloride, Morphine"[TW] OR "Morphine Sulfate"[TW] OR "Sulfate, Morphine"[TW] OR "SDZ 202-250"[TW] OR "SDZ 202 250"[TW] OR "SDZ 202250"[TW] OR "SDZ202-250"[TW] OR "SDZ202 250"[TW] OR "SDZ202250"[TW] OR "Morphine Sulfate (2:1), Pentahydrate"[TW] OR "MS Contin"[TW] OR "Contin, MS"[TW] OR "Oramorph SR"[TW] OR "Duramorph"[TW] OR "Morphine Sulfate (2:1), Anhydrous"[TW] OR "3, 6 dihydroxy n methyl 4, 5 epoxy 7 morphinene"[TW] OR "anpec"[TW] OR "cis morphine"[TW] OR "duromorph"[TW] OR "epimorph"[TW] OR "microcrystalline morphine suspension"[TW] OR "miro"[TW] OR "morfin"[TW] OR "morfine"[TW] OR "morphin"[TW] OR "morphine alkaloid"[TW] OR "morphine chlorhydrate"[TW] OR "morphine hydrochloride"[TW] OR "morphine suspension"[TW] OR "morphinium"[TW] OR "morphium"[TW] OR "opso"[TW] OR "skenan"[TW] OR "trans"[TW] OR "morphine"[TW]
#20	"Fentanyl"[Mesh]
#21	"Fentanyl"[TW] OR "Phentanyl"[TW] OR "Fentanest"[TW] OR "Fentanyl Citrate"[TW] OR "R-4263"[TW] OR "R 4263"[TW] OR "R4263"[TW] OR "Sublimaze"[TW] OR "Transmucosal Oral Fentanyl Citrate"[TW] OR "Duragesic"[TW] OR "Durogesic"[TW] OR "Fentora"[TW] OR "1 (2 phenylethyl) 4 (n phenylpropionamido) piperidine"[TW] OR "1 phenethyl 4 (n phenylpropionamido) piperidine"[TW] OR "1 phenethyl 4 n propionylanilinopiperidine"[TW] OR "ad 923"[TW] OR "ad923"[TW] OR "ap 48"[TW] OR "ap48"[TW] OR "az 003"[TW] OR "az003"[TW] OR "defent"[TW] OR "duragesic 100"[TW] OR "duragesic 12"[TW] OR "duragesic 25"[TW] OR "duragesic 37"[TW] OR "duragesic 50"[TW] OR "duragesic 75"[TW] OR "duragesic-100"[TW] OR "duragesic-12"[TW] OR "duragesic-25"[TW] OR "duragesic-37"[TW] OR "duragesic-50"[TW] OR "duragesic-75"[TW] OR "durotep"[TW] OR "en 3294"[TW] OR "en3294"[TW] OR "epufen"[TW] OR "fentalis"[TW] OR "fentamat"[TW] OR "fentanyl"[TW] OR "fentanex"[TW] OR "fentanil"[TW] OR "fentanyl buccal soluble film"[TW] OR "fentanyl hydrochloride"[TW] OR "fentanyl iontophoretic"[TW] OR "fentanyl-100"[TW] OR "fentanyl-12"[TW] OR "fentanyl-25"[TW] OR "fentanyl-37"[TW] OR "fentanyl-50"[TW] OR "fentanyl-62"[TW] OR "fentanyl-75"[TW] OR "fentanyl-87"[TW] OR "fetanex"[TW] OR "fetnanyl"[TW] OR "jns 020qd"[TW] OR "jns020qd"[TW] OR "leptanal"[TW] OR "matrifen"[TW] OR "mezolar matrix"[TW] OR "n (1 phenethyl 4 piperidiny) n phenylpropionamide"[TW] OR "n (1 phenethyl 4 piperidyl) propionanilide"[TW] OR "n (1 phenethylpiperid 4 yl) propionanilide"[TW] OR "n (1 phenethylpiperidin 4 yl) n phenylpropionamide"[TW] OR "n phenethyl 4 (n propionylanilino) piperidine"[TW] OR "n phenyl n [1 (2 phenylethyl) 4 piperidiny] propanamide"[TW] OR "n phenyl n [1 (2 phenylethyl) piperidin 4 yl] propanamide"[TW] OR "pecfent"[TW] OR

	"rapinyl"[TW] OR "recuvyra"[TW] OR "subsys"[TW] OR "tanyl"[TW] OR "tilotrans"[TW] OR "transfenta"[TW] OR "waferynl"[TW]
#22	"Analgesia"[Mesh]
#23	"Analgesia"[TW] OR "Analgesias"[TW]
#24	"Analgesia, Patient-Controlled"[Mesh]
#25	"Analgesia, Patient-Controlled"[TW] OR "Patient-Controlled Analgesia"[TW] OR "patient controlled analgesia"[TW] OR "patient controlled anaesthesia"[TW] OR "patient controlled anesthesia"[TW] OR "patient-controlled analgesia"[TW] OR "self anaesthesia"[TW] OR "self anesthesia"[TW] OR "pca"[TW]
#26	#12 OR #13 OR #14 OR #15 OR #16 OR #17 OR #18 OR #19 OR #20 OR #21 OR #22 OR #23 OR #24 OR #25
#27	#6 AND #11 AND #26
#28	#27 AND (((("Randomized Controlled Trial"[Publication Type] OR "Controlled Clinical Trial"[Publication Type] OR "Randomized Controlled Trials as Topic"[Mesh] OR "Random Allocation"[Mesh] OR "Double-Blind Method"[Mesh] OR "Single-Blind Method"[Mesh] OR "Clinical Trial"[Publication Type] OR "clinical trial"[TW] OR ((singl*[TW] OR doubl*[TW] OR trebl*[TW] OR tripl*[TW]) AND (mask*[TW] OR blind*[TW])) OR "Placebos"[Mesh] OR placebo*[TW] OR random*[TW] OR "Research Design"[Mesh:NoExp]) NOT ("Animals"[Mesh] NOT "Humans"[Mesh])) OR ("Systematic Review"[Publication Type] OR "Systematic Reviews as Topic"[Mesh] OR "Systematic Review"[TIAB])) OR ("Meta-Analysis"[Publication Type] OR "Meta-Analysis as Topic"[Mesh] OR "Network Meta-Analysis"[Mesh] OR "Meta-Analysis"[TIAB] OR "Meta Analysis"[TIAB])) NOT ("Case Reports"[Publication Type] OR "Single-Case Studies as Topic"[Mesh])

Embase via Elsevier Search Query

#1	"intravenous*":ti,ab,kw,de OR "iv":ti,ab,kw,de OR "parenteral*":ti,ab,kw,de OR "parenterale*":ti,ab,kw,de OR "Intravenous":ti,ab,kw,de
#2	"intravenous drug administration"/exp
#3	"Administration, Intravenous":ti,ab,kw,de OR "Administrations, Intravenous":ti,ab,kw,de OR "Intravenous Administrations":ti,ab,kw,de OR "Intravenous Administration":ti,ab,kw,de OR "intravenous drug administration":ti,ab,kw,de OR "vein infusion":ti,ab,kw,de OR "vein injection":ti,ab,kw,de OR "venous drip":ti,ab,kw,de OR "venous infusion":ti,ab,kw,de OR "venous injection":ti,ab,kw,de OR "venous transfusion":ti,ab,kw,de
#4	"Infusions, Intravenous":ti,ab,kw,de OR "Intravenous Infusions":ti,ab,kw,de OR "Infusion, Intravenous":ti,ab,kw,de OR "Intravenous Infusion":ti,ab,kw,de OR "Intravenous Drip":ti,ab,kw,de OR "Drip, Intravenous":ti,ab,kw,de OR "Drip Infusions":ti,ab,kw,de OR "Drip Infusion":ti,ab,kw,de OR "Infusion, Drip":ti,ab,kw,de OR "Infusions, Drip":ti,ab,kw,de
#5	#1 OR #2 OR #3 OR #4
#6	"ibuprofen"/exp
#7	"Ibuprofen":ti,ab,kw,de OR "Benzeneacetic Acid, alpha-methyl-4-(2-methylpropyl)-trimethylsilyl ester":ti,ab,kw,de OR "alpha-Methyl-4-(2-methylpropyl)benzeneacetic Acid":ti,ab,kw,de OR "Rufen":ti,ab,kw,de OR "Advil":ti,ab,kw,de OR "Brufen":ti,ab,kw,de OR "Ibumetin":ti,ab,kw,de OR "Ibuprofen, (+)-Isomer":ti,ab,kw,de OR "Ibuprofen, (R)-Isomer":ti,ab,kw,de OR "Ibuprofen, (S)-Isomer":ti,ab,kw,de OR "Ibuprofen, Aluminum Salt":ti,ab,kw,de OR "Ibuprofen, Calcium Salt":ti,ab,kw,de OR "Ibuprofen, Copper (2+) Salt":ti,ab,kw,de OR "Ibuprofen, Magnesium Salt":ti,ab,kw,de OR "Ibuprofen, Potassium Salt":ti,ab,kw,de OR "Ibuprofen, Sodium Salt":ti,ab,kw,de OR "Ibuprofen, Zinc Salt":ti,ab,kw,de OR "Ibuprofen-Zinc":ti,ab,kw,de OR "Ibuprofen Zinc":ti,ab,kw,de OR "Motrin":ti,ab,kw,de OR "Nuprin":ti,ab,kw,de OR "Salprofen":ti,ab,kw,de OR "Trauma-Dolgit Gel":ti,ab,kw,de OR "Trauma Dolgit Gel":ti,ab,kw,de OR "2 (4 isobutylphenyl) propionic acid":ti,ab,kw,de OR "2 (para isobutylphenyl) propionic acid":ti,ab,kw,de OR "2 [4 (2 methylpropyl) phenyl] propionic acid":ti,ab,kw,de OR "abfen":ti,ab,kw,de OR "abidol":ti,ab,kw,de OR "aches-n-pain":ti,ab,kw,de OR "act-3":ti,ab,kw,de OR "actiprofen":ti,ab,kw,de OR "adagin":ti,ab,kw,de OR "adagin forte":ti,ab,kw,de OR "adex 200":ti,ab,kw,de OR "adex liqui-gels":ti,ab,kw,de OR "adolorin ibuforte":ti,ab,kw,de OR "adolorini direkt":ti,ab,kw,de OR "advil infantil":ti,ab,kw,de OR "advil liqui-gels":ti,ab,kw,de OR "advil liquid caps":ti,ab,kw,de OR "advil liquifast":ti,ab,kw,de OR "advil liquigel":ti,ab,kw,de OR "advil migraine liqui-gels":ti,ab,kw,de OR "advil mono":ti,ab,kw,de OR "advil paediatric":ti,ab,kw,de OR "advil pediatric":ti,ab,kw,de OR "advil reliva forte":ti,ab,kw,de OR "advil ultra":ti,ab,kw,de OR "advil ultra forte":ti,ab,kw,de OR "advilcaps":ti,ab,kw,de OR "advileff":ti,ab,kw,de OR "advilgel":ti,ab,kw,de OR "advilmed":ti,ab,kw,de OR "adviltab":ti,ab,kw,de OR "afebril":ti,ab,kw,de OR "aktren":ti,ab,kw,de OR "aktren forte":ti,ab,kw,de OR "aktren mobil":ti,ab,kw,de OR "aktren spezial":ti,ab,kw,de OR "algiadin":ti,ab,kw,de OR "algiadin retard":ti,ab,kw,de OR "algifor":ti,ab,kw,de OR "algik":ti,ab,kw,de OR "algin baby":ti,ab,kw,de OR "algoten":ti,ab,kw,de OR "algoflex":ti,ab,kw,de OR "algoflex dolo":ti,ab,kw,de OR "algoflex forte":ti,ab,kw,de OR "algoflex norma":ti,ab,kw,de OR "algoflex rapid":ti,ab,kw,de OR "algoflex":ti,ab,kw,de OR "ultra forte":ti,ab,kw,de OR "algoten":ti,ab,kw,de OR "algoten febre e dolore":ti,ab,kw,de OR "algoten indol":ti,ab,kw,de OR "algoten":ti,ab,kw,de OR "allipen":ti,ab,kw,de OR "alpha (4 isobutylphenyl) propionic acid":ti,ab,kw,de OR "alvofen express":ti,ab,kw,de OR "am-fam 400":ti,ab,kw,de OR "ambapropfen":ti,ab,kw,de OR "anadin":ti,ab,kw,de OR "anadin joint pain":ti,ab,kw,de OR "anadin liquifast":ti,ab,kw,de OR "anadin period pain":ti,ab,kw,de OR "anadin ultra":ti,ab,kw,de OR "anadvil":ti,ab,kw,de OR "analgl":ti,ab,kw,de OR "anbifen":ti,ab,kw,de OR "anco":ti,ab,kw,de OR "andran":ti,ab,kw,de OR "anflagen":ti,ab,kw,de OR "antafbal":ti,ab,kw,de OR "antalgil":ti,ab,kw,de OR "antarene":ti,ab,kw,de OR "antiflam":ti,ab,kw,de OR "apirofen":ti,ab,kw,de OR "apo-ibuprofen":ti,ab,kw,de OR "apo-rapid":ti,ab,kw,de OR "aragel":ti,ab,kw,de OR "articalm":ti,ab,kw,de OR "atril 300":ti,ab,kw,de OR "atritin":ti,ab,kw,de OR "auxifen":ti,ab,kw,de OR "axoprofen":ti,ab,kw,de OR "axoprofen forte":ti,ab,kw,de OR "azodermol":ti,ab,kw,de OR "babyfen":ti,ab,kw,de OR "balkapropfen":ti,ab,kw,de OR "bells healthcare children's pain and fever relief":ti,ab,kw,de OR "benatia":ti,ab,kw,de OR "berlistar":ti,ab,kw,de OR "berlistar forte":ti,ab,kw,de OR "bestafen":ti,ab,kw,de OR "betapropfen":ti,ab,kw,de OR "bifen":ti,ab,kw,de OR "blokmax":ti,ab,kw,de OR "blokmax forte":ti,ab,kw,de OR "bluton":ti,ab,kw,de OR "brinflan":ti,ab,kw,de OR "brufanic":ti,ab,kw,de OR "brufedol":ti,ab,kw,de OR "brufedol rapid":ti,ab,kw,de OR "brufen 400":ti,ab,kw,de OR "brufen effect":ti,ab,kw,de OR "brufen forte":ti,ab,kw,de OR "brufen paediatric":ti,ab,kw,de OR "brufen retard":ti,ab,kw,de OR "brufen sr":ti,ab,kw,de OR "brufenact":ti,ab,kw,de OR "brufenlik":ti,ab,kw,de OR "brufort":ti,ab,kw,de OR "brugesic":ti,ab,kw,de OR "brumare":ti,ab,kw,de OR "brumed":ti,ab,kw,de OR "brupro":ti,ab,kw,de OR "brupro max":ti,ab,kw,de OR "brupro rx":ti,ab,kw,de OR "buburone":ti,ab,kw,de OR "bufect":ti,ab,kw,de OR "bufect forte":ti,ab,kw,de OR "bufohexal":ti,ab,kw,de OR "buplex":ti,ab,kw,de OR "buplex rx":ti,ab,kw,de OR "bupogesic":ti,ab,kw,de OR "buproffes":ti,ab,kw,de OR "buprophar":ti,ab,kw,de OR "burana":ti,ab,kw,de OR "burana-caps":ti,ab,kw,de OR "buranigel":ti,ab,kw,de OR "buripin":ti,ab,kw,de OR "buscofen":ti,ab,kw,de OR "buscofen":ti,ab,kw,de OR "buscofenact":ti,ab,kw,de OR "buscofenpocket":ti,ab,kw,de OR "butacortelone":ti,ab,kw,de OR "butifen":ti,ab,kw,de OR "caldolor":ti,ab,kw,de OR "calmolin":ti,ab,kw,de OR "calprofen":ti,ab,kw,de OR "cap-profes":ti,ab,kw,de OR "cenbufen":ti,ab,kw,de OR "children's advil":ti,ab,kw,de OR "children's advil-flavored":ti,ab,kw,de OR "children's elixure":ti,ab,kw,de OR "children's ibuprofen":ti,ab,kw,de OR "children's motrin":ti,ab,kw,de OR "children's motrin":ti,ab,kw,de OR "cibalgina due fast":ti,ab,kw,de OR "cibalginafor":ti,ab,kw,de OR "cinfadol":ti,ab,kw,de OR "codral period pain":ti,ab,kw,de OR "combiflam":ti,ab,kw,de OR "contraneural":ti,ab,kw,de OR "cuprofen":ti,ab,kw,de OR "dalsy":ti,ab,kw,de OR "dalsy forte":ti,ab,kw,de OR "dalsydol":ti,ab,kw,de OR "danofen":ti,ab,kw,de OR "dc 7034":ti,ab,kw,de OR "dc7034":ti,ab,kw,de OR "deliprom":ti,ab,kw,de OR "demaflan":ti,ab,kw,de OR "dg 7034":ti,ab,kw,de OR "dg7034":ti,ab,kw,de OR "dibufen":ti,ab,kw,de OR "diclorem unidie":ti,ab,kw,de OR "diffutab sr 600":ti,ab,kw,de OR "dimidon":ti,ab,kw,de OR "dismenol":ti,ab,kw,de OR "dismenol forte":ti,ab,kw,de OR "diverin":ti,ab,kw,de OR "doc schmerzgel":ti,ab,kw,de OR "dolan fp":ti,ab,kw,de OR "dolgit":ti,ab,kw,de OR

"dolibloc":ti,ab,kw,de OR "dolorief":ti,ab,kw,de OR "dolobene ibu":ti,ab,kw,de OR "dolocyl":ti,ab,kw,de OR "dolodolgit":ti,ab,kw,de OR "dolofen-f":ti,ab,kw,de OR "dolofort":ti,ab,kw,de OR "dolomax":ti,ab,kw,de OR "dolorgiet":ti,ab,kw,de OR "dolormin":ti,ab,kw,de OR "dolowill":ti,ab,kw,de OR "dolval":ti,ab,kw,de OR "donjust b":ti,ab,kw,de OR "dorival":ti,ab,kw,de OR "druisel":ti,ab,kw,de OR "easifon":ti,ab,kw,de OR "easofen":ti,ab,kw,de OR "ebufac":ti,ab,kw,de OR "ecoprofen":ti,ab,kw,de OR "eiren":ti,ab,kw,de OR "emflam":ti,ab,kw,de OR "emflam-200":ti,ab,kw,de OR "epobron":ti,ab,kw,de OR "ergix douleur et fievre":ti,ab,kw,de OR "eudorlin extra":ti,ab,kw,de OR "eudorlin infantil":ti,ab,kw,de OR "eudorlin migrane":ti,ab,kw,de OR "exidol":ti,ab,kw,de OR "expanfen":ti,ab,kw,de OR "extrapan":ti,ab,kw,de OR "febratic":ti,ab,kw,de OR "febrirol":ti,ab,kw,de OR "febryn":ti,ab,kw,de OR "femapirin":ti,ab,kw,de OR "fenalgic":ti,ab,kw,de OR "fenbid":ti,ab,kw,de OR "fenbid forte":ti,ab,kw,de OR "fenopine":ti,ab,kw,de OR "fenpaed":ti,ab,kw,de OR "fevralt":ti,ab,kw,de OR "fiedosin":ti,ab,kw,de OR "flamicon":ti,ab,kw,de OR "flarin":ti,ab,kw,de OR "fluibron febbre e dolore":ti,ab,kw,de OR "fluifort febbre e dolore":ti,ab,kw,de OR "focus":ti,ab,kw,de OR "forsium":ti,ab,kw,de OR "frenidor":ti,ab,kw,de OR "froben dolore e febbre":ti,ab,kw,de OR "froben dolore e":ti,ab,kw,de OR "infiammazione":ti,ab,kw,de OR "frobenkids febbre e dolore":ti,ab,kw,de OR "galprofen":ti,ab,kw,de OR "galprofen max":ti,ab,kw,de OR "gelib":ti,ab,kw,de OR "gelufene":ti,ab,kw,de OR "gyno-neuralgin":ti,ab,kw,de OR "h-loniten":ti,ab,kw,de OR "halprin":ti,ab,kw,de OR "haltran":ti,ab,kw,de OR "hemagene tailleur":ti,ab,kw,de OR "holuren":ti,ab,kw,de OR "ib-100":ti,ab,kw,de OR "ib-u-ron":ti,ab,kw,de OR "ibacut":ti,ab,kw,de OR "ibalgin":ti,ab,kw,de OR "ibalgin baby":ti,ab,kw,de OR "ibalgin express":ti,ab,kw,de OR "ibalgin forte":ti,ab,kw,de OR "ibalgin gel":ti,ab,kw,de OR "ibalgin instant":ti,ab,kw,de OR "ibalgin junior":ti,ab,kw,de OR "ibalgin krem":ti,ab,kw,de OR "ibalgin neo":ti,ab,kw,de OR "ibalgin rapidcaps":ti,ab,kw,de OR "ibenal":ti,ab,kw,de OR "ibenal forte":ti,ab,kw,de OR "ibenal max":ti,ab,kw,de OR "ibetin":ti,ab,kw,de OR "iblasin":ti,ab,kw,de OR "ibofen":ti,ab,kw,de OR "ibosure":ti,ab,kw,de OR "ibu":ti,ab,kw,de OR "ibu akut":ti,ab,kw,de OR "ibu slow":ti,ab,kw,de OR "ibu-4":ti,ab,kw,de OR "ibu-6":ti,ab,kw,de OR "ibu-8":ti,ab,kw,de OR "ibu-dent":ti,ab,kw,de OR "ibu-puren":ti,ab,kw,de OR "ibu-slow":ti,ab,kw,de OR "ibu-tab":ti,ab,kw,de OR "ibu-tab 200":ti,ab,kw,de OR "ibuaristo akut":ti,ab,kw,de OR "ibubel":ti,ab,kw,de OR "ibuberl":ti,ab,kw,de OR "ibubeta":ti,ab,kw,de OR "ibucalm":ti,ab,kw,de OR "ibucalmin":ti,ab,kw,de OR "ibucaps":ti,ab,kw,de OR "ibudak":ti,ab,kw,de OR "ibudex":ti,ab,kw,de OR "ibudol":ti,ab,kw,de OR "ibudolor":ti,ab,kw,de OR "ibufarmalid":ti,ab,kw,de OR "ibufem":ti,ab,kw,de OR "ibufen":ti,ab,kw,de OR "ibufлам":ti,ab,kw,de OR "ibufug":ti,ab,kw,de OR "ibugard":ti,ab,kw,de OR "ibugel":ti,ab,kw,de OR "ibugel forte":ti,ab,kw,de OR "ibugesic":ti,ab,kw,de OR "ibuhexal akut":ti,ab,kw,de OR "ibukern":ti,ab,kw,de OR "ibukey":ti,ab,kw,de OR "ibuklaph":ti,ab,kw,de OR "ibuleve":ti,ab,kw,de OR "ibulgan":ti,ab,kw,de OR "ibuloid":ti,ab,kw,de OR "ibum":ti,ab,kw,de OR "ibum femina":ti,ab,kw,de OR "ibum forte":ti,ab,kw,de OR "ibum supermax":ti,ab,kw,de OR "ibumal":ti,ab,kw,de OR "ibumax":ti,ab,kw,de OR "ibumax forte":ti,ab,kw,de OR "ibumed":ti,ab,kw,de OR "ibumenol":ti,ab,kw,de OR "ibumetin forte":ti,ab,kw,de OR "ibumousse":ti,ab,kw,de OR "ibunid":ti,ab,kw,de OR "ibunin":ti,ab,kw,de OR "ibupar":ti,ab,kw,de OR "ibupar forte":ti,ab,kw,de OR "ibupen":ti,ab,kw,de OR "ibupirac":ti,ab,kw,de OR "ibupradoll":ti,ab,kw,de OR "ibuprex":ti,ab,kw,de OR "ibuprex max":ti,ab,kw,de OR "ibuprin":ti,ab,kw,de OR "ibuprocin":ti,ab,kw,de OR "ibuprofen klinge 600":ti,ab,kw,de OR "ibuprofen potassium":ti,ab,kw,de OR "ibuprofen sodium":ti,ab,kw,de OR "ibuprofene":ti,ab,kw,de OR "ibuprohm":ti,ab,kw,de OR "ibuprom":ti,ab,kw,de OR "ibuprom forte":ti,ab,kw,de OR "ibuprom max":ti,ab,kw,de OR "ibuprom sport":ti,ab,kw,de OR "iburapid":ti,ab,kw,de OR "ibured":ti,ab,kw,de OR "ibured forte":ti,ab,kw,de OR "iburon":ti,ab,kw,de OR "ibusal":ti,ab,kw,de OR "ibusan":ti,ab,kw,de OR "ibusolve":ti,ab,kw,de OR "ibuspray":ti,ab,kw,de OR "ibustar":ti,ab,kw,de OR "ibustar forte":ti,ab,kw,de OR "ibustick":ti,ab,kw,de OR "ibusynth":ti,ab,kw,de OR "ibutabs":ti,ab,kw,de OR "ibutact":ti,ab,kw,de OR "ibutad":ti,ab,kw,de OR "ibuteva":ti,ab,kw,de OR "ibutop":ti,ab,kw,de OR "ibuvalen":ti,ab,kw,de OR "ibuviva":ti,ab,kw,de OR "ibux":ti,ab,kw,de OR "ibuxin":ti,ab,kw,de OR "idyl sr":ti,ab,kw,de OR "ifenin":ti,ab,kw,de OR "imofen":ti,ab,kw,de OR "infant's motrin":ti,ab,kw,de OR "infibu":ti,ab,kw,de OR "inflanor":ti,ab,kw,de OR "inflanor forte":ti,ab,kw,de OR "inoflon":ti,ab,kw,de OR "ipren":ti,ab,kw,de OR "iprensa":ti,ab,kw,de OR "irfen":ti,ab,kw,de OR "junifen":ti,ab,kw,de OR "junior strength advil":ti,ab,kw,de OR "junior strength ibuprofen":ti,ab,kw,de OR "junior strength motrin":ti,ab,kw,de OR "junipro":ti,ab,kw,de OR "kendo":ti,ab,kw,de OR "kenfen":ti,ab,kw,de OR "kidofen":ti,ab,kw,de OR "kontraneural":ti,ab,kw,de OR "lamidon":ti,ab,kw,de OR "larofen":ti,ab,kw,de OR "levifem":ti,ab,kw,de OR "librofem":ti,ab,kw,de OR "liderfeme":ti,ab,kw,de OR "liderfen":ti,ab,kw,de OR "lidifen":ti,ab,kw,de OR "liptan":ti,ab,kw,de OR "lopane":ti,ab,kw,de OR "los-u-fen":ti,ab,kw,de OR "lotempen":ti,ab,kw,de OR "malafene":ti,ab,kw,de OR "maxagesic":ti,ab,kw,de OR "mcn r 1451":ti,ab,kw,de OR "medicol":ti,ab,kw,de OR "medifen":ti,ab,kw,de OR "medipren":ti,ab,kw,de OR "mediprin":ti,ab,kw,de OR "melfen":ti,ab,kw,de OR "mensoton":ti,ab,kw,de OR "metafen":ti,ab,kw,de OR "midol 200":ti,ab,kw,de OR "midol liquid gels":ti,ab,kw,de OR "mig":ti,ab,kw,de OR "mig forte":ti,ab,kw,de OR "mig junior":ti,ab,kw,de OR "mig pediatric":ti,ab,kw,de OR "milifen":ti,ab,kw,de OR "miofen":ti,ab,kw,de OR "momenflogo":ti,ab,kw,de OR "moment":ti,ab,kw,de OR "momentact":ti,ab,kw,de OR "momentact analgesico":ti,ab,kw,de OR "momentfene":ti,ab,kw,de OR "motrin childrens":ti,ab,kw,de OR "motrin ib":ti,ab,kw,de OR "motrin migraine pain":ti,ab,kw,de OR "mynosedin":ti,ab,kw,de OR "nagifen-d":ti,ab,kw,de OR "napacetin":ti,ab,kw,de OR "neforan":ti,ab,kw,de OR "neo borocillina infiammazione e dolore":ti,ab,kw,de OR "neobrufen":ti,ab,kw,de OR "neobrufen retard":ti,ab,kw,de OR "neodol":ti,ab,kw,de OR "neodol forte":ti,ab,kw,de OR "neofen":ti,ab,kw,de OR "neofen forte":ti,ab,kw,de OR "neofen neo-forte":ti,ab,kw,de OR "neofen plus":ti,ab,kw,de OR "nerofen":ti,ab,kw,de OR "neutropain":ti,ab,kw,de OR "nobfelon":ti,ab,kw,de OR "nobgen":ti,ab,kw,de OR "norflam-t":ti,ab,kw,de OR "noritis":ti,ab,kw,de OR "norton":ti,ab,kw,de OR "novidol":ti,ab,kw,de OR "novogent":ti,ab,kw,de OR "novogent n":ti,ab,kw,de OR "novoprofen":ti,ab,kw,de OR "nugin":ti,ab,kw,de OR "nureflex":ti,ab,kw,de OR "nureflex lp":ti,ab,kw,de OR "nurodon":ti,ab,kw,de OR "nurofen":ti,ab,kw,de OR "nurofen active":ti,ab,kw,de OR "nurofen expres":ti,ab,kw,de OR "nurofen express":ti,ab,kw,de OR "nurofen express femina":ti,ab,kw,de OR "nurofen express forte":ti,ab,kw,de OR "nurofen fastine":ti,ab,kw,de OR "nurofen flextin":ti,ab,kw,de OR "nurofen for children":ti,ab,kw,de OR "nurofen forte":ti,ab,kw,de OR "nurofen forte express":ti,ab,kw,de OR "nurofen gel":ti,ab,kw,de OR "nurofen instant":ti,ab,kw,de OR "nurofen junior":ti,ab,kw,de OR "nurofen musc":ti,ab,kw,de OR "nurofen non-aqua":ti,ab,kw,de OR "nurofen patch":ti,ab,kw,de OR "nurofen rapid":ti,ab,kw,de OR "nurofen rapid forte":ti,ab,kw,de OR "nurofen recovery":ti,ab,kw,de OR "nurofen xpress":ti,ab,kw,de OR "nurofen zavance":ti,ab,kw,de OR "nurofencaps":ti,ab,kw,de OR "nurofenjunior":ti,ab,kw,de OR

	<p>"nurofenkid":ti,ab,kw,de OR "nurofenplast":ti,ab,kw,de OR "nurofentabs":ti,ab,kw,de OR "nurofenteen":ti,ab,kw,de OR "nuroflex":ti,ab,kw,de OR "optalidon ibu":ti,ab,kw,de OR "optifen":ti,ab,kw,de OR "opturem":ti,ab,kw,de OR "ostarin":ti,ab,kw,de OR "ostofen":ti,ab,kw,de OR "ozonol":ti,ab,kw,de OR "paduden":ti,ab,kw,de OR "paduden forte":ti,ab,kw,de OR "paduden sr":ti,ab,kw,de OR "paediatric advil":ti,ab,kw,de OR "paidofebril":ti,ab,kw,de OR "paidofen":ti,ab,kw,de OR "panactive":ti,ab,kw,de OR "panafen":ti,ab,kw,de OR "pathofen":ti,ab,kw,de OR "pedea":ti,ab,kw,de OR "pediacare fever":ti,ab,kw,de OR "pediatric advil":ti,ab,kw,de OR "pediprofen":ti,ab,kw,de OR "perdophen pediatrie":ti,ab,kw,de OR "perofen":ti,ab,kw,de OR "pfeil zahnschmerz forte":ti,ab,kw,de OR "phorpain":ti,ab,kw,de OR "phorpain gel":ti,ab,kw,de OR "pirexin":ti,ab,kw,de OR "potassium ibuprofen":ti,ab,kw,de OR "proartinal":ti,ab,kw,de OR "profen":ti,ab,kw,de OR "profeno":ti,ab,kw,de OR "proff":ti,ab,kw,de OR "proflex":ti,ab,kw,de OR "proris":ti,ab,kw,de OR "provin":ti,ab,kw,de OR "provon":ti,ab,kw,de OR "quadrax":ti,ab,kw,de OR "radian b":ti,ab,kw,de OR "rafen":ti,ab,kw,de OR "ranofen":ti,ab,kw,de OR "rapidol s":ti,ab,kw,de OR "rapidophen":ti,ab,kw,de OR "rapidophen forte":ti,ab,kw,de OR "ratiodor":ti,ab,kw,de OR "rebugen":ti,ab,kw,de OR "renidon":ti,ab,kw,de OR "reuprofen":ti,ab,kw,de OR "reuvol":ti,ab,kw,de OR "rhelafen":ti,ab,kw,de OR "rhelafen forte":ti,ab,kw,de OR "riflonet":ti,ab,kw,de OR "rofixdol febbre e dolore":ti,ab,kw,de OR "roidenin":ti,ab,kw,de OR "rolibfar":ti,ab,kw,de OR "rufan":ti,ab,kw,de OR "rupan":ti,ab,kw,de OR "sakitol":ti,ab,kw,de OR "saniprom":ti,ab,kw,de OR "saridon n":ti,ab,kw,de OR "sarixell":ti,ab,kw,de OR "schmerz-dolgit":ti,ab,kw,de OR "schufen":ti,ab,kw,de OR "seclodin":ti,ab,kw,de OR "sodium ibuprofen":ti,ab,kw,de OR "solibu":ti,ab,kw,de OR "solufen lidose":ti,ab,kw,de OR "solvium":ti,ab,kw,de OR "spalt":ti,ab,kw,de OR "spalt forte":ti,ab,kw,de OR "spalt migrane":ti,ab,kw,de OR "spalt mobil":ti,ab,kw,de OR "spididol analgesico":ti,ab,kw,de OR "stribu":ti,ab,kw,de OR "subitene":ti,ab,kw,de OR "syafen":ti,ab,kw,de OR "syntofene":ti,ab,kw,de OR "tab-profen":ti,ab,kw,de OR "tabalon":ti,ab,kw,de OR "tabalon 400":ti,ab,kw,de OR "taskine":ti,ab,kw,de OR "tatanal":ti,ab,kw,de OR "tefin":ti,ab,kw,de OR "tofen":ti,ab,kw,de OR "trendar":ti,ab,kw,de OR "tricalma":ti,ab,kw,de OR "trifene":ti,ab,kw,de OR "tvingestin":ti,ab,kw,de OR "umafen":ti,ab,kw,de OR "unipro":ti,ab,kw,de OR "upfen":ti,ab,kw,de OR "uprofen":ti,ab,kw,de OR "urem":ti,ab,kw,de OR "viamal febbre e dolore":ti,ab,kw,de OR "x 0002":ti,ab,kw,de OR "x0002":ti,ab,kw,de OR "zafen":ti,ab,kw,de OR "zavryl":ti,ab,kw,de OR "zenalgin":ti,ab,kw,de OR "zofen":ti,ab,kw,de OR "Intravenous ibuprofen":ti,ab,kw,de OR "parenteral ibuprofen":ti,ab,kw,de OR "Ibuprofeny":ti,ab,kw,de</p>
#8	"paracetamol"/exp
#9	<p>"Acetaminophen":ti,ab,kw,de OR "Acetominophen":ti,ab,kw,de OR "Hydroxyacetanilide":ti,ab,kw,de OR "APAP":ti,ab,kw,de OR "p-Acetamidophenol":ti,ab,kw,de OR "p-Hydroxyacetanilide":ti,ab,kw,de OR "Paracetamol":ti,ab,kw,de OR "N-(4-Hydroxyphenyl)acetanilide":ti,ab,kw,de OR "Acetamidophenol":ti,ab,kw,de OR "N-Acetyl-p-aminophenol":ti,ab,kw,de OR "Acephen":ti,ab,kw,de OR "Acetaco":ti,ab,kw,de OR "Tylenol":ti,ab,kw,de OR "Anacin-3":ti,ab,kw,de OR "Anacin 3":ti,ab,kw,de OR "Anacin3":ti,ab,kw,de OR "Datri":ti,ab,kw,de OR "Panadol":ti,ab,kw,de OR "Acamol":ti,ab,kw,de OR "Algotropyl":ti,ab,kw,de OR "4 acetamidophenol":ti,ab,kw,de OR "4 acetaminophenol":ti,ab,kw,de OR "4 acetylamino phenol":ti,ab,kw,de OR "4 hydroxyacetanilide":ti,ab,kw,de OR "4^ hydroxyacetanilide":ti,ab,kw,de OR "a-mol":ti,ab,kw,de OR "abenol":ti,ab,kw,de OR "acamoli forte suppositories for kids":ti,ab,kw,de OR "aceno":ti,ab,kw,de OR "acet suppositories":ti,ab,kw,de OR "acetaflex":ti,ab,kw,de OR "acetalgin":ti,ab,kw,de OR "acetamino phenol":ti,ab,kw,de OR "acetaminophene":ti,ab,kw,de OR "acetaminophenol":ti,ab,kw,de OR "acetamol":ti,ab,kw,de OR "acetomenophen":ti,ab,kw,de OR "acetylamino phenol":ti,ab,kw,de OR "adorem":ti,ab,kw,de OR "afebrin":ti,ab,kw,de OR "algiafin":ti,ab,kw,de OR "algocit":ti,ab,kw,de OR "algofen":ti,ab,kw,de OR "algotase mono":ti,ab,kw,de OR "alphagesic":ti,ab,kw,de OR "altridexamol":ti,ab,kw,de OR "alvedon":ti,ab,kw,de OR "amadil":ti,ab,kw,de OR "amadol":ti,ab,kw,de OR "anadin":ti,ab,kw,de OR "anafon":ti,ab,kw,de OR "analgesic":ti,ab,kw,de OR "antidol":ti,ab,kw,de OR "apamide":ti,ab,kw,de OR "apiredol":ti,ab,kw,de OR "apiretal":ti,ab,kw,de OR "apirex":ti,ab,kw,de OR "apotel":ti,ab,kw,de OR "arax":ti,ab,kw,de OR "arfen":ti,ab,kw,de OR "arthralgen":ti,ab,kw,de OR "atamel":ti,ab,kw,de OR "ben-uron":ti,ab,kw,de OR "benuron":ti,ab,kw,de OR "biogesic":ti,ab,kw,de OR "biogesic suspension":ti,ab,kw,de OR "bodrex":ti,ab,kw,de OR "calapol":ti,ab,kw,de OR "calodol":ti,ab,kw,de OR "calonal":ti,ab,kw,de OR "calpol":ti,ab,kw,de OR "causalon":ti,ab,kw,de OR "cemol":ti,ab,kw,de OR "christamol":ti,ab,kw,de OR "claradol":ti,ab,kw,de OR "clocephen":ti,ab,kw,de OR "cp 500":ti,ab,kw,de OR "cp500":ti,ab,kw,de OR "croix blanche mono":ti,ab,kw,de OR "cupanol":ti,ab,kw,de OR "dafalgan":ti,ab,kw,de OR "dafalgan forte":ti,ab,kw,de OR "dafalgancaps":ti,ab,kw,de OR "dafalganhop":ti,ab,kw,de OR "dafalgantabs":ti,ab,kw,de OR "daga":ti,ab,kw,de OR "daleron":ti,ab,kw,de OR "daro":ti,ab,kw,de OR "defebryl":ti,ab,kw,de OR "depon":ti,ab,kw,de OR "depyretin":ti,ab,kw,de OR "difenatil":ti,ab,kw,de OR "dirox":ti,ab,kw,de OR "dismifen":ti,ab,kw,de OR "disprol":ti,ab,kw,de OR "dolal":ti,ab,kw,de OR "dolex":ti,ab,kw,de OR "dolex 500":ti,ab,kw,de OR "dolflash":ti,ab,kw,de OR "doliprane":ti,ab,kw,de OR "dolipranecaps":ti,ab,kw,de OR "dolitabs":ti,ab,kw,de OR "dolko":ti,ab,kw,de OR "dolocatil":ti,ab,kw,de OR "dolofen":ti,ab,kw,de OR "dololavi":ti,ab,kw,de OR "dolomol":ti,ab,kw,de OR "doloramol":ti,ab,kw,de OR "dolorin":ti,ab,kw,de OR "dolorol":ti,ab,kw,de OR "dolostop":ti,ab,kw,de OR "dolotec":ti,ab,kw,de OR "dolotemp":ti,ab,kw,de OR "dolprone":ti,ab,kw,de OR "dolstic":ti,ab,kw,de OR "doltem":ti,ab,kw,de OR "drilan":ti,ab,kw,de OR "dristan af":ti,ab,kw,de OR "dulsiheb":ti,ab,kw,de OR "duorol":ti,ab,kw,de OR "dymadon":ti,ab,kw,de OR "efetamol":ti,ab,kw,de OR "efferaldol flas":ti,ab,kw,de OR "efferalgan":ti,ab,kw,de OR "efferalgan 500":ti,ab,kw,de OR "efferalgan forte":ti,ab,kw,de OR "efferalganmed":ti,ab,kw,de OR "efferalganodis":ti,ab,kw,de OR "efferamol":ti,ab,kw,de OR "efferelgan":ti,ab,kw,de OR "enelfa":ti,ab,kw,de OR "eneril":ti,ab,kw,de OR "eraldor":ti,ab,kw,de OR "eu med":ti,ab,kw,de OR "exopon":ti,ab,kw,de OR "expandol":ti,ab,kw,de OR "febrectal":ti,ab,kw,de OR "febridol":ti,ab,kw,de OR "febrilix":ti,ab,kw,de OR "fendon":ti,ab,kw,de OR "fervex":ti,ab,kw,de OR "fibrinol":ti,ab,kw,de OR "fizamol":ti,ab,kw,de OR "fortolin":ti,ab,kw,de OR "galpharm six plus pain relief":ti,ab,kw,de OR "gelocatil":ti,ab,kw,de OR "geluprane 500":ti,ab,kw,de OR "gewadal-pamol":ti,ab,kw,de OR "gunaceta":ti,ab,kw,de OR "headache strength allerest":ti,ab,kw,de OR "hedex":ti,ab,kw,de OR "helporal":ti,ab,kw,de OR "holdofeb":ti,ab,kw,de OR "infants^ feveral":ti,ab,kw,de OR "influbene c":ti,ab,kw,de OR "influbene n":ti,ab,kw,de OR "injectapap":ti,ab,kw,de OR "janupap":ti,ab,kw,de OR "kamolas":ti,ab,kw,de OR "kyofen":ti,ab,kw,de OR "lekadol":ti,ab,kw,de OR "lekadol direkt":ti,ab,kw,de OR "lekadol forte":ti,ab,kw,de OR "lemgrip":ti,ab,kw,de OR "lemsip cold and flu":ti,ab,kw,de OR "letamol":ti,ab,kw,de OR "liquiprin":ti,ab,kw,de OR "lotemp":ti,ab,kw,de OR "lupocet":ti,ab,kw,de OR "lupocet forte":ti,ab,kw,de</p>

	<p>OR "lyteca":ti,ab,kw,de OR "malidens":ti,ab,kw,de OR "mandanol":ti,ab,kw,de OR "medamol":ti,ab,kw,de OR "medipyrin":ti,ab,kw,de OR "meforagesic":ti,ab,kw,de OR "megapar":ti,ab,kw,de OR "megapar forte":ti,ab,kw,de OR "metagesic":ti,ab,kw,de OR "metalid":ti,ab,kw,de OR "mexalen":ti,ab,kw,de OR "milidon 500":ti,ab,kw,de OR "minopan":ti,ab,kw,de OR "mobistix":ti,ab,kw,de OR "instant":ti,ab,kw,de OR "mypara":ti,ab,kw,de OR "n acetyl 4 aminophenol":ti,ab,kw,de OR "n acetyl para aminophenol":ti,ab,kw,de OR "nalgelik":ti,ab,kw,de OR "napamol":ti,ab,kw,de OR "napap":ti,ab,kw,de OR "naprex":ti,ab,kw,de OR "nebs":ti,ab,kw,de OR "nektol 500":ti,ab,kw,de OR "neocitran":ti,ab,kw,de OR "neodalmin":ti,ab,kw,de OR "neopap":ti,ab,kw,de OR "nevral":ti,ab,kw,de OR "nideran":ti,ab,kw,de OR "nilapur":ti,ab,kw,de OR "nirolex febbre e dolore":ti,ab,kw,de OR "nisidinasol":ti,ab,kw,de OR "nobedon":ti,ab,kw,de OR "nuridol":ti,ab,kw,de OR "nysacetol":ti,ab,kw,de OR "ofirmev":ti,ab,kw,de OR "pacemol":ti,ab,kw,de OR "pacimol":ti,ab,kw,de OR "padolieve":ti,ab,kw,de OR "padolieve max":ti,ab,kw,de OR "pamal":ti,ab,kw,de OR "pamol":ti,ab,kw,de OR "pamol f":ti,ab,kw,de OR "pamol flash":ti,ab,kw,de OR "panacit":ti,ab,kw,de OR "panadol actifast":ti,ab,kw,de OR "panadol advance":ti,ab,kw,de OR "panadol extra strength":ti,ab,kw,de OR "panadol fasttabs":ti,ab,kw,de OR "panadol forte":ti,ab,kw,de OR "panadol hot":ti,ab,kw,de OR "panadol max strength cold and flu":ti,ab,kw,de OR "panadol novum":ti,ab,kw,de OR "panadol optizorb":ti,ab,kw,de OR "panadol pore":ti,ab,kw,de OR "panadol rapid":ti,ab,kw,de OR "panadol soluble":ti,ab,kw,de OR "panadol soluble max":ti,ab,kw,de OR "panadol zapp":ti,ab,kw,de OR "panamax":ti,ab,kw,de OR "panaprex":ti,ab,kw,de OR "panasorb":ti,ab,kw,de OR "panasorbe":ti,ab,kw,de OR "panodil":ti,ab,kw,de OR "para acetamidophenol":ti,ab,kw,de OR "para acetylaminophenol":ti,ab,kw,de OR "para hydroxyacetanilide":ti,ab,kw,de OR "para suppo":ti,ab,kw,de OR "para-hot":ti,ab,kw,de OR "para-supps":ti,ab,kw,de OR "para-tabs":ti,ab,kw,de OR "paraceon":ti,ab,kw,de OR "paracet":ti,ab,kw,de OR "paraceta 500":ti,ab,kw,de OR "paracetalgin":ti,ab,kw,de OR "paracetaminophenol":ti,ab,kw,de OR "paracetamol ester":ti,ab,kw,de OR "paracetamol":ti,ab,kw,de OR "paracut":ti,ab,kw,de OR "paradol":ti,ab,kw,de OR "parafizz":ti,ab,kw,de OR "parafusiv":ti,ab,kw,de OR "parageniol":ti,ab,kw,de OR "paragin":ti,ab,kw,de OR "paralen":ti,ab,kw,de OR "paralen rapid":ti,ab,kw,de OR "paralief":ti,ab,kw,de OR "paralink":ti,ab,kw,de OR "paralyoc":ti,ab,kw,de OR "paramax":ti,ab,kw,de OR "paramax forte":ti,ab,kw,de OR "paramax junior":ti,ab,kw,de OR "paramax rap":ti,ab,kw,de OR "paramax rapid":ti,ab,kw,de OR "paramegal":ti,ab,kw,de OR "paramidol":ti,ab,kw,de OR "paramolan":ti,ab,kw,de OR "parapaed":ti,ab,kw,de OR "parapaed junior":ti,ab,kw,de OR "parapaed six plus":ti,ab,kw,de OR "paraphar":ti,ab,kw,de OR "parapo":ti,ab,kw,de OR "parapyrex":ti,ab,kw,de OR "paraserts":ti,ab,kw,de OR "parasolve":ti,ab,kw,de OR "paratabs":ti,ab,kw,de OR "paravegano":ti,ab,kw,de OR "paravescent":ti,ab,kw,de OR "paravict":ti,ab,kw,de OR "parvid":ti,ab,kw,de OR "pasolind":ti,ab,kw,de OR "pasolind n":ti,ab,kw,de OR "paximol":ti,ab,kw,de OR "pe-tam":ti,ab,kw,de OR "pedicetamol":ti,ab,kw,de OR "pedipan":ti,ab,kw,de OR "penral-night":ti,ab,kw,de OR "perfalgan":ti,ab,kw,de OR "phenaphen":ti,ab,kw,de OR "phizamol":ti,ab,kw,de OR "pinex":ti,ab,kw,de OR "piros":ti,ab,kw,de OR "polarfen":ti,ab,kw,de OR "predimol":ti,ab,kw,de OR "prompt":ti,ab,kw,de OR "prosinus":ti,ab,kw,de OR "protalgon":ti,ab,kw,de OR "puernol":ti,ab,kw,de OR "pyrigesic":ti,ab,kw,de OR "raperon":ti,ab,kw,de OR "rapidol":ti,ab,kw,de OR "relaphen":ti,ab,kw,de OR "reliv":ti,ab,kw,de OR "remedol":ti,ab,kw,de OR "revanin":ti,ab,kw,de OR "rhinapen elixir":ti,ab,kw,de OR "rhodapap":ti,ab,kw,de OR "rowalief":ti,ab,kw,de OR "roxamol gelcaps":ti,ab,kw,de OR "rubophen":ti,ab,kw,de OR "salzone":ti,ab,kw,de OR "sanador":ti,ab,kw,de OR "sedarene adultes":ti,ab,kw,de OR "sedarene enfants":ti,ab,kw,de OR "sedes a":ti,ab,kw,de OR "serimol":ti,ab,kw,de OR "setamol":ti,ab,kw,de OR "sinaspril":ti,ab,kw,de OR "sinebriv":ti,ab,kw,de OR "sinedol":ti,ab,kw,de OR "sinpro":ti,ab,kw,de OR "snp 810":ti,ab,kw,de OR "snp 830":ti,ab,kw,de OR "snp 840":ti,ab,kw,de OR "snp810":ti,ab,kw,de OR "snp830":ti,ab,kw,de OR "snp840":ti,ab,kw,de OR "solpaone":ti,ab,kw,de OR "sootheze six plus":ti,ab,kw,de OR "supofen":ti,ab,kw,de OR "tabalgin":ti,ab,kw,de OR "tachipirin":ti,ab,kw,de OR "tachipirina":ti,ab,kw,de OR "taganopain":ti,ab,kw,de OR "tapar":ti,ab,kw,de OR "tempra":ti,ab,kw,de OR "tempte":ti,ab,kw,de OR "temzzard":ti,ab,kw,de OR "termadec febbre e dolore":ti,ab,kw,de OR "termalgin":ti,ab,kw,de OR "termofren":ti,ab,kw,de OR "teva-mexalen":ti,ab,kw,de OR "therimin":ti,ab,kw,de OR "tipol":ti,ab,kw,de OR "tipol max":ti,ab,kw,de OR "tralgon":ti,ab,kw,de OR "tralgon elixir":ti,ab,kw,de OR "tramil":ti,ab,kw,de OR "treuphadol":ti,ab,kw,de OR "turpan":ti,ab,kw,de OR "tylenol":ti,ab,kw,de OR "tylenol extra fuerte":ti,ab,kw,de OR "tylenol forte":ti,ab,kw,de OR "tylenol nr 1":ti,ab,kw,de OR "tylex":ti,ab,kw,de OR "valadol":ti,ab,kw,de OR "wegmal":ti,ab,kw,de OR "winadol":ti,ab,kw,de OR "winasorb":ti,ab,kw,de OR "xebramol":ti,ab,kw,de OR "xumadol":ti,ab,kw,de OR "zipamol":ti,ab,kw,de OR "zolben":ti,ab,kw,de OR "zydinol":ti,ab,kw,de OR "intravenous acetaminophen":ti,ab,kw,de OR "parenteral acetaminophen":ti,ab,kw,de</p>
#10	#6 OR #7 OR #8 OR #9
#11	"postoperative pain"/exp
#12	<p>"Pain, Postoperative":ti,ab,kw,de OR "Post-surgical Pain":ti,ab,kw,de OR "Pain, Post-surgical":ti,ab,kw,de OR "Post surgical Pain":ti,ab,kw,de OR "Pain, Post-operative":ti,ab,kw,de OR "Pain, Post operative":ti,ab,kw,de OR "Postsurgical Pain":ti,ab,kw,de OR "Pain, Postsurgical":ti,ab,kw,de OR "Post-operative Pain":ti,ab,kw,de OR "Post operative Pain":ti,ab,kw,de OR "Post-operative Pains":ti,ab,kw,de OR "Postoperative Pain":ti,ab,kw,de OR "Postoperative Pain, Acute":ti,ab,kw,de OR "Pain, Acute Postoperative":ti,ab,kw,de OR "Acute Postoperative Pain":ti,ab,kw,de OR "Acute Post-operative Pain":ti,ab,kw,de OR "Acute Post operative Pain":ti,ab,kw,de OR "Post-operative Pain, Acute":ti,ab,kw,de OR "Pain, Acute Post-operative":ti,ab,kw,de OR "Post operative Pain, Acute":ti,ab,kw,de OR "post operation pain":ti,ab,kw,de OR "post-surgery pain":ti,ab,kw,de OR "postoperation pain":ti,ab,kw,de OR "postsurgery pain":ti,ab,kw,de OR "postoperative":ti,ab,kw,de OR "postsurgery":ti,ab,kw,de</p>
#13	"narcotic analgesic agent"/exp
#14	<p>"Analgesics, Opioid":ti,ab,kw,de OR "Opioid Analgesics":ti,ab,kw,de OR "Opioid Analgesic":ti,ab,kw,de OR "Analgesic, Opioid":ti,ab,kw,de OR "Opioids":ti,ab,kw,de OR "Opioid":ti,ab,kw,de OR "Partial Opioid Agonists":ti,ab,kw,de OR "Agonists, Partial Opioid":ti,ab,kw,de OR "Opioid Agonists, Partial":ti,ab,kw,de OR "Opioid Partial Agonists":ti,ab,kw,de OR "Agonists, Opioid Partial":ti,ab,kw,de OR "Partial Agonists, Opioid":ti,ab,kw,de OR "Full Opioid Agonists":ti,ab,kw,de OR "Agonists, Full Opioid":ti,ab,kw,de OR "Opioid Agonists, Full":ti,ab,kw,de OR "Opioid Full Agonists":ti,ab,kw,de OR "Agonists, Opioid Full":ti,ab,kw,de OR "Full Agonists, Opioid":ti,ab,kw,de OR "Opioid Mixed Agonist-Antagonists":ti,ab,kw,de OR "Agonist-</p>

	Antagonists, Opioid Mixed":ti,ab,kw,de OR "Mixed Agonist-Antagonists, Opioid":ti,ab,kw,de OR "Opioid Mixed Agonist Antagonists":ti,ab,kw,de OR "narcotic analgesic agent":ti,ab,kw,de OR "agent, narcotic analgesic":ti,ab,kw,de OR "agent, narcotic analgetic":ti,ab,kw,de OR "anaesthetic analgesic agent":ti,ab,kw,de OR "analgesic anaesthetic agent":ti,ab,kw,de OR "analgesic anesthetic agent":ti,ab,kw,de OR "analgesics, narcotic":ti,ab,kw,de OR "analgesics, narcotic agonist antagonist":ti,ab,kw,de OR "analgesics, narcotic agonist-antagonist":ti,ab,kw,de OR "analgesics, narcotic like":ti,ab,kw,de OR "analgesics, narcotic-like":ti,ab,kw,de OR "anesthetic analgesic agent":ti,ab,kw,de OR "narcotic analgesic":ti,ab,kw,de OR "narcotic analgesics":ti,ab,kw,de OR "narcotic analgetic agent":ti,ab,kw,de OR "opioid consumption":ti,ab,kw,de
#15	"18,19-dihydroetorphine":ti,ab,kw,de OR "acetaminophen, hydrocodone drug combination":ti,ab,kw,de OR "acrylfentanyl":ti,ab,kw,de OR "Alfentanil":ti,ab,kw,de OR "Alphaprodine":ti,ab,kw,de OR "beta-casomorphins":ti,ab,kw,de OR "brorphine":ti,ab,kw,de OR "Buprenorphine":ti,ab,kw,de OR "Buprenorphine, Naloxone Drug Combination":ti,ab,kw,de OR "Butorphanol":ti,ab,kw,de OR "carfentanil":ti,ab,kw,de OR "Codeine":ti,ab,kw,de OR "crotonylfentanyl":ti,ab,kw,de OR "cyclopropylfentanyl":ti,ab,kw,de OR "deltorphan I, Ala(2)-":ti,ab,kw,de OR "dermorphin":ti,ab,kw,de OR "desomorphine":ti,ab,kw,de OR "Dextromoramide":ti,ab,kw,de OR "Dextropropoxyphene":ti,ab,kw,de OR "dezocine":ti,ab,kw,de OR "dihydrocodeine":ti,ab,kw,de OR "Dihydromorphine":ti,ab,kw,de OR "Diphenoxylate":ti,ab,kw,de OR "Dsuvia":ti,ab,kw,de OR "dynorphin (1-13)":ti,ab,kw,de OR "endomorphin 1":ti,ab,kw,de OR "endomorphin 2":ti,ab,kw,de OR "Enkephalin, Ala(2)-MePhe(4)-Gly(5)-":ti,ab,kw,de OR "Enkephalin, D-Penicillamine (2,5)-":ti,ab,kw,de OR "enkephalin-Met, Ala(2)-":ti,ab,kw,de OR "eseroline":ti,ab,kw,de OR "etazene":ti,ab,kw,de OR "Ethylketocyclazocine":ti,ab,kw,de OR "Ethylmorphine":ti,ab,kw,de OR "Etorphine":ti,ab,kw,de OR "Fentanyl":ti,ab,kw,de OR "furanyl fentanyl":ti,ab,kw,de OR "Heroin":ti,ab,kw,de OR "Hydrocodone":ti,ab,kw,de OR "Hydromorphone":ti,ab,kw,de OR "kappa-opioid agonist JT09":ti,ab,kw,de OR "ketobemidone":ti,ab,kw,de OR "Levorphanol":ti,ab,kw,de OR "lofentanil":ti,ab,kw,de OR "Meperidine":ti,ab,kw,de OR "Meptazinol":ti,ab,kw,de OR "Methadone":ti,ab,kw,de OR "Methadyl Acetate":ti,ab,kw,de OR "Morphine":ti,ab,kw,de OR "Nalbuphine":ti,ab,kw,de OR "nocistatin":ti,ab,kw,de OR "normethadone":ti,ab,kw,de OR "O-demethyltramadol":ti,ab,kw,de OR "Opiate Alkaloids":ti,ab,kw,de OR "Opium":ti,ab,kw,de OR "OREX-1019":ti,ab,kw,de OR "Oxycodone":ti,ab,kw,de OR "Oxymorphone":ti,ab,kw,de OR "paracymethadol":ti,ab,kw,de OR "Pentazocine":ti,ab,kw,de OR "Phenazocine":ti,ab,kw,de OR "Phenoperidine":ti,ab,kw,de OR "Pirinitramide":ti,ab,kw,de OR "Promedol":ti,ab,kw,de OR "protopine":ti,ab,kw,de OR "Remifentanyl":ti,ab,kw,de OR "Sufentanil":ti,ab,kw,de OR "Tapentadol":ti,ab,kw,de OR "Tilidine":ti,ab,kw,de OR "Tramadol":ti,ab,kw,de OR "tramadol, dexketoprofen drug combination":ti,ab,kw,de OR "tyrosyl-1,2,3,4-tetrahydro-3-isoquinolinecarbonyl-phenylalanyl-phenylalanine":ti,ab,kw,de
#16	"morphine"/exp
#17	"Morphine":ti,ab,kw,de OR "Morphia":ti,ab,kw,de OR "Morphine Chloride":ti,ab,kw,de OR "Chloride, Morphine":ti,ab,kw,de OR "Morphine Sulfate":ti,ab,kw,de OR "Sulfate, Morphine":ti,ab,kw,de OR "SDZ 202-250":ti,ab,kw,de OR "SDZ 202 250":ti,ab,kw,de OR "SDZ 202250":ti,ab,kw,de OR "SDZ202-250":ti,ab,kw,de OR "SDZ202 250":ti,ab,kw,de OR "SDZ202250":ti,ab,kw,de OR "Morphine Sulfate (2:1), Pentahydrate":ti,ab,kw,de OR "MS Contin":ti,ab,kw,de OR "Contin, MS":ti,ab,kw,de OR "Oramorph SR":ti,ab,kw,de OR "Duramorph":ti,ab,kw,de OR "Morphine Sulfate (2:1), Anhydrous":ti,ab,kw,de OR "3, 6 dihydroxy n methyl 4, 5 epoxy 7 morphinene":ti,ab,kw,de OR "anpec":ti,ab,kw,de OR "cis morphine":ti,ab,kw,de OR "duromorph":ti,ab,kw,de OR "epimorph":ti,ab,kw,de OR "microcrystalline morphine suspension":ti,ab,kw,de OR "miro":ti,ab,kw,de OR "morfin":ti,ab,kw,de OR "morfine":ti,ab,kw,de OR "morphin":ti,ab,kw,de OR "morphine alkaloid":ti,ab,kw,de OR "morphine chlorhydrate":ti,ab,kw,de OR "morphine hydrochloride":ti,ab,kw,de OR "morphine suspension":ti,ab,kw,de OR "morphinium":ti,ab,kw,de OR "morphium":ti,ab,kw,de OR "opso":ti,ab,kw,de OR "skenan":ti,ab,kw,de OR "trans":ti,ab,kw,de OR "morphine":ti,ab,kw,de
#18	"fentanyl"/exp
#19	"Fentanyl":ti,ab,kw,de OR "Phentanyl":ti,ab,kw,de OR "Fentanest":ti,ab,kw,de OR "Fentanyl Citrate":ti,ab,kw,de OR "R-4263":ti,ab,kw,de OR "R 4263":ti,ab,kw,de OR "R4263":ti,ab,kw,de OR "Sublimaze":ti,ab,kw,de OR "Transmucosal Oral Fentanyl Citrate":ti,ab,kw,de OR "Duragesic":ti,ab,kw,de OR "Durogesic":ti,ab,kw,de OR "Fentora":ti,ab,kw,de OR "1 (2 phenylethyl) 4 (n phenylpropionamido) piperidine":ti,ab,kw,de OR "1 phenethyl 4 (n phenylpropionamido) piperidine":ti,ab,kw,de OR "1 phenethyl 4 n propionylanilinopiperidine":ti,ab,kw,de OR "ad 923":ti,ab,kw,de OR "ad923":ti,ab,kw,de OR "ap 48":ti,ab,kw,de OR "ap48":ti,ab,kw,de OR "az 003":ti,ab,kw,de OR "az003":ti,ab,kw,de OR "defent":ti,ab,kw,de OR "duragesic 100":ti,ab,kw,de OR "duragesic 12":ti,ab,kw,de OR "duragesic 25":ti,ab,kw,de OR "duragesic 37":ti,ab,kw,de OR "duragesic 50":ti,ab,kw,de OR "duragesic 75":ti,ab,kw,de OR "duragesic-100":ti,ab,kw,de OR "duragesic-12":ti,ab,kw,de OR "duragesic-25":ti,ab,kw,de OR "duragesic-37":ti,ab,kw,de OR "duragesic-50":ti,ab,kw,de OR "duragesic-75":ti,ab,kw,de OR "durotep":ti,ab,kw,de OR "en 3294":ti,ab,kw,de OR "en3294":ti,ab,kw,de OR "epufen":ti,ab,kw,de OR "fentalis":ti,ab,kw,de OR "fentamat":ti,ab,kw,de OR "fentamyl":ti,ab,kw,de OR "fentanex":ti,ab,kw,de OR "fentanil":ti,ab,kw,de OR "fentanyl buccal soluble film":ti,ab,kw,de OR "fentanyl hydrochloride":ti,ab,kw,de OR "fentanyl iontophoretic":ti,ab,kw,de OR "fentanyl-100":ti,ab,kw,de OR "fentanyl-12":ti,ab,kw,de OR "fentanyl-25":ti,ab,kw,de OR "fentanyl-37":ti,ab,kw,de OR "fentanyl-50":ti,ab,kw,de OR "fentanyl-62":ti,ab,kw,de OR "fentanyl-75":ti,ab,kw,de OR "fentanyl-87":ti,ab,kw,de OR "fetanex":ti,ab,kw,de OR "fetnanyl":ti,ab,kw,de OR "jns 020qd":ti,ab,kw,de OR "jns020qd":ti,ab,kw,de OR "leptanal":ti,ab,kw,de OR "matrifen":ti,ab,kw,de OR "mezolar matrix":ti,ab,kw,de OR "n (1 phenethyl 4 piperidiny) n phenylpropionamide":ti,ab,kw,de OR "n (1 phenethyl 4 piperidyl) propionanilide":ti,ab,kw,de OR "n (1 phenethylpiperid 4 yl) propionanilide":ti,ab,kw,de OR "n (1 phenethylpiperidin 4 yl) n phenylpropionamide":ti,ab,kw,de OR "n phenethyl 4 (n propionylanilino) piperidine":ti,ab,kw,de OR "n phenyl n [1 (2 phenylethyl) 4 piperidiny] propanamide":ti,ab,kw,de OR "n phenyl n [1 (2 phenylethyl) piperidin 4 yl] propanamide":ti,ab,kw,de OR "pecfent":ti,ab,kw,de OR "rapinyl":ti,ab,kw,de OR "recuvyra":ti,ab,kw,de OR "subsys":ti,ab,kw,de OR "tanyl":ti,ab,kw,de OR "tilotrans":ti,ab,kw,de OR "transfenta":ti,ab,kw,de OR "wafernyl":ti,ab,kw,de
#20	"Analgesia":ti,ab,kw,de OR "Analgesias":ti,ab,kw,de
#21	"patient controlled analgesia"/exp
#22	"Analgesia, Patient-Controlled":ti,ab,kw,de OR "Patient-Controlled Analgesia":ti,ab,kw,de OR "patient controlled

	analgesia":ti,ab,kw,de OR "patient controlled anaesthesia":ti,ab,kw,de OR "patient controlled anesthesia":ti,ab,kw,de OR "patient-controlled analgesia":ti,ab,kw,de OR "self anaesthesia":ti,ab,kw,de OR "self anesthesia":ti,ab,kw,de OR "pca":ti,ab,kw,de
#23	#11 OR #12 OR #13 OR #14 OR #15 OR #16 OR #17 OR #18 OR #19 OR #20 OR #21 OR #22
#24	#5 AND #10 AND #23
#25	#24 AND (((("Randomized Controlled Trial":de OR "Controlled Clinical Trial":de OR "randomized controlled trial (topic)"/de OR "randomization"/de OR random*:ti,ab,tt OR "double blind procedure"/de OR "single blind procedure"/de OR ((double OR single OR doubly OR singly) NEXT/1 (blind OR blinded OR blindly)):ti,ab,tt OR "Clinical Trial":de OR "clinical trial":ti,ab,tt OR ((singl*:ti,ab,tt OR doubl*:ti,ab,tt OR trebl*:ti,ab,tt OR tripl*:ti,ab,tt) AND (mask*:ti,ab,tt OR blind*:ti,ab,tt)) OR "placebo"/de OR placebo*:ti,ab,tt OR random*:ti,ab,tt OR "methodology"/de) NOT ("animal"/de NOT "human"/de)) OR ("Systematic Review"/de OR "systematic review (topic)"/de OR "Systematic Review":ti,tt)) OR ("Meta-Analysis":ti,ab,tt OR "meta analysis (topic)"/de OR "network meta-analysis"/de OR "Meta-Analysis":ti,ab,tt OR "Meta Analysis":ti,ab,tt)) NOT ("Case Reports":ti,ab,tt OR "single-case study"/de)

Cochrane Library (Cochrane Central Register of Controlled Trials) Search Query

#1	"intravenous*":ti,ab,kw OR "iv":ti,ab,kw OR "parenteral*":ti,ab,kw OR "parenterale*":ti,ab,kw OR "Intra-venous":ti,ab,kw
#2	[mh "Administration, Intravenous"]
#3	"Administration, Intravenous":ti,ab,kw OR "Administrations, Intravenous":ti,ab,kw OR "Intravenous Administrations":ti,ab,kw OR "Intravenous Administration":ti,ab,kw OR "intravenous drug administration":ti,ab,kw OR "vein infusion":ti,ab,kw OR "vein injection":ti,ab,kw OR "venous drip":ti,ab,kw OR "venous infusion":ti,ab,kw OR "venous injection":ti,ab,kw OR "venous transfusion":ti,ab,kw
#4	[mh "Infusions, Intravenous"]
#5	"Infusions, Intravenous":ti,ab,kw OR "Intravenous Infusions":ti,ab,kw OR "Infusion, Intravenous":ti,ab,kw OR "Intravenous Infusion":ti,ab,kw OR "Intravenous Drip":ti,ab,kw OR "Drip, Intravenous":ti,ab,kw OR "Drip Infusions":ti,ab,kw OR "Drip Infusion":ti,ab,kw OR "Infusion, Drip":ti,ab,kw OR "Infusions, Drip":ti,ab,kw
#6	#1 OR #2 OR #3 OR #4 OR #5
#7	[mh "Ibuprofen"]
#8	"Ibuprofen":ti,ab,kw OR "Benzeneacetic Acid, alpha-methyl-4-(2-methylpropyl)-trimethylsilyl ester":ti,ab,kw OR "alpha-Methyl-4-(2-methylpropyl)benzeneacetic Acid":ti,ab,kw OR "Rufen":ti,ab,kw OR "Advil":ti,ab,kw OR "Brufen":ti,ab,kw OR "Ibumetin":ti,ab,kw OR "Ibuprofen, (+-)-Isomer":ti,ab,kw OR "Ibuprofen, (R)-Isomer":ti,ab,kw OR "Ibuprofen, (S)-Isomer":ti,ab,kw OR "Ibuprofen, Aluminum Salt":ti,ab,kw OR "Ibuprofen, Calcium Salt":ti,ab,kw OR "Ibuprofen, Copper (2+) Salt":ti,ab,kw OR "Ibuprofen, Magnesium Salt":ti,ab,kw OR "Ibuprofen, Potassium Salt":ti,ab,kw OR "Ibuprofen, Sodium Salt":ti,ab,kw OR "Ibuprofen, Zinc Salt":ti,ab,kw OR "Ibuprofen-Zinc":ti,ab,kw OR "Ibuprofen Zinc":ti,ab,kw OR "Motrin":ti,ab,kw OR "Nuprin":ti,ab,kw OR "Salprofen":ti,ab,kw OR "Trauma-Dolgit Gel":ti,ab,kw OR "Trauma Dolgit Gel":ti,ab,kw OR "2 (4 isobutylphenyl) propionic acid":ti,ab,kw OR "2 (para isobutylphenyl) propionic acid":ti,ab,kw OR "2 [4 (2 methylpropyl) phenyl] propionic acid":ti,ab,kw OR "abfen":ti,ab,kw OR "abidol":ti,ab,kw OR "aches-n-pain":ti,ab,kw OR "act-3":ti,ab,kw OR "actiprofen":ti,ab,kw OR "adagin":ti,ab,kw OR "adagin forte":ti,ab,kw OR "adex 200":ti,ab,kw OR "adex liqui-gels":ti,ab,kw OR "adolorin ibuforte":ti,ab,kw OR "adolorini direkt":ti,ab,kw OR "advil infantil":ti,ab,kw OR "advil liqui-gels":ti,ab,kw OR "advil liquid caps":ti,ab,kw OR "advil liquifast":ti,ab,kw OR "advil liquigel":ti,ab,kw OR "advil migraine liqui-gels":ti,ab,kw OR "advil mono":ti,ab,kw OR "advil paediatric":ti,ab,kw OR "advil pediatric":ti,ab,kw OR "advil reliva forte":ti,ab,kw OR "advil ultra":ti,ab,kw OR "advil ultra forte":ti,ab,kw OR "advilcaps":ti,ab,kw OR "advileff":ti,ab,kw OR "advilgel":ti,ab,kw OR "advilmed":ti,ab,kw OR "adviltab":ti,ab,kw OR "afebril":ti,ab,kw OR "aktren":ti,ab,kw OR "aktren forte":ti,ab,kw OR "aktren mobil":ti,ab,kw OR "aktren spezial":ti,ab,kw OR "algiasdin":ti,ab,kw OR "algiasdin retard":ti,ab,kw OR "algifor":ti,ab,kw OR "algik":ti,ab,kw OR "algin baby":ti,ab,kw OR "algoten":ti,ab,kw OR "algoten flex":ti,ab,kw OR "algoten flex dolo":ti,ab,kw OR "algoten flex forte":ti,ab,kw OR "algoten flex norma":ti,ab,kw OR "algoten flex rapid":ti,ab,kw OR "algoten flex":ti,ab,kw OR "ultra forte":ti,ab,kw OR "algoten":ti,ab,kw OR "algoten febre e dolore":ti,ab,kw OR "algoten indol":ti,ab,kw OR "algoten":ti,ab,kw OR "allipen":ti,ab,kw OR "alpha (4 isobutylphenyl) propionic acid":ti,ab,kw OR "alvofen express":ti,ab,kw OR "am-fam 400":ti,ab,kw OR "ambapropfen":ti,ab,kw OR "anadin":ti,ab,kw OR "anadin joint pain":ti,ab,kw OR "anadin liquifast":ti,ab,kw OR "anadin period pain":ti,ab,kw OR "anadin ultra":ti,ab,kw OR "anadvil":ti,ab,kw OR "analgy":ti,ab,kw OR "anbifen":ti,ab,kw OR "anco":ti,ab,kw OR "andran":ti,ab,kw OR "anflagen":ti,ab,kw OR "antalfebal":ti,ab,kw OR "antalgil":ti,ab,kw OR "antarene":ti,ab,kw OR "antiflam":ti,ab,kw OR "apirofen":ti,ab,kw OR "apo-ibuprofen":ti,ab,kw OR "apo-rapid":ti,ab,kw OR "aragel":ti,ab,kw OR "articalm":ti,ab,kw OR "atril 300":ti,ab,kw OR "atritin":ti,ab,kw OR "auxifen":ti,ab,kw OR "axoprofen":ti,ab,kw OR "axoprofen forte":ti,ab,kw OR "azodermol":ti,ab,kw OR "babyfen":ti,ab,kw OR "balkapropfen":ti,ab,kw OR "bells healthcare children's pain and fever relief":ti,ab,kw OR "benatia":ti,ab,kw OR "berlistar":ti,ab,kw OR "berlistar forte":ti,ab,kw OR "bestafen":ti,ab,kw OR "betapropfen":ti,ab,kw OR "bifen":ti,ab,kw OR "blokmax":ti,ab,kw OR "blokmax forte":ti,ab,kw OR "bluton":ti,ab,kw OR "brinflan":ti,ab,kw OR "brufanic":ti,ab,kw OR "brufedol":ti,ab,kw OR "brufedol rapid":ti,ab,kw OR "brufen 400":ti,ab,kw OR "brufen effect":ti,ab,kw OR "brufen forte":ti,ab,kw OR "brufen paediatric":ti,ab,kw OR "brufen retard":ti,ab,kw OR "brufen sr":ti,ab,kw OR "brufenact":ti,ab,kw OR "brufenlik":ti,ab,kw OR "brufort":ti,ab,kw OR "brugesic":ti,ab,kw OR "brumare":ti,ab,kw OR "brumed":ti,ab,kw OR "brupro":ti,ab,kw OR "brupro max":ti,ab,kw OR "brupro rx":ti,ab,kw OR "buburone":ti,ab,kw OR "bufect":ti,ab,kw OR "bufect forte":ti,ab,kw OR "bufohexal":ti,ab,kw OR "buplex":ti,ab,kw OR "buplex rx":ti,ab,kw OR "bupogesic":ti,ab,kw OR "buprofen":ti,ab,kw OR "buprophar":ti,ab,kw OR "burana":ti,ab,kw OR "burana-caps":ti,ab,kw OR "buranagel":ti,ab,kw OR "buripin":ti,ab,kw OR "buscofen":ti,ab,kw OR "buscofen":ti,ab,kw OR "buscofenact":ti,ab,kw OR "buscofenpocket":ti,ab,kw OR "butacortelone":ti,ab,kw OR "butifen":ti,ab,kw OR "caldolor":ti,ab,kw OR "calmolin":ti,ab,kw OR "calprofen":ti,ab,kw OR "cap-propfen":ti,ab,kw OR "cenbufen":ti,ab,kw OR "children's advil":ti,ab,kw OR "children's advil-flavored":ti,ab,kw OR "children's elixure":ti,ab,kw OR "children's ibuprofen":ti,ab,kw OR "children's motrin":ti,ab,kw OR "children's motrin":ti,ab,kw OR "cibalgina due fast":ti,ab,kw OR "cibalginafor":ti,ab,kw OR "cinfadol":ti,ab,kw OR "codral period pain":ti,ab,kw OR "combiflam":ti,ab,kw OR "contraneural":ti,ab,kw OR "cuprofen":ti,ab,kw OR "dalsy":ti,ab,kw OR "dalsy forte":ti,ab,kw OR "dalsydol":ti,ab,kw OR "danofen":ti,ab,kw OR "dc 7034":ti,ab,kw OR "dc7034":ti,ab,kw OR "deliprom":ti,ab,kw OR "demaflan":ti,ab,kw OR "dg 7034":ti,ab,kw OR "dg7034":ti,ab,kw OR "dibufen":ti,ab,kw OR "diclorem unidie":ti,ab,kw OR "diffutab sr 600":ti,ab,kw OR "dimidon":ti,ab,kw OR "dismenol":ti,ab,kw OR "dismenol forte":ti,ab,kw OR "diverin":ti,ab,kw OR "doc schmerzgel":ti,ab,kw OR "dolan fp":ti,ab,kw OR "dolgit":ti,ab,kw OR "dolibloc":ti,ab,kw OR "dolirief":ti,ab,kw OR "dolobene ibu":ti,ab,kw OR "dolocyl":ti,ab,kw OR "dolodolgit":ti,ab,kw OR "dolofen-f":ti,ab,kw OR "dolofort":ti,ab,kw OR "dolomax":ti,ab,kw OR "dolorgiet":ti,ab,kw OR "dolormin":ti,ab,kw OR "dolowill":ti,ab,kw OR "dolval":ti,ab,kw OR "donjust b":ti,ab,kw OR

"dorival":ti,ab,kw OR "druisel":ti,ab,kw OR "easifon":ti,ab,kw OR "easofen":ti,ab,kw OR "ebufac":ti,ab,kw OR "ecoprofen":ti,ab,kw OR "eiren":ti,ab,kw OR "emflam":ti,ab,kw OR "emflam-200":ti,ab,kw OR "epobron":ti,ab,kw OR "ergix douleur et fievre":ti,ab,kw OR "eudorlin extra":ti,ab,kw OR "eudorlin infantil":ti,ab,kw OR "eudorlin migrane":ti,ab,kw OR "exidol":ti,ab,kw OR "expanfen":ti,ab,kw OR "extrapan":ti,ab,kw OR "febratic":ti,ab,kw OR "febrirol":ti,ab,kw OR "febryn":ti,ab,kw OR "femapirin":ti,ab,kw OR "fenalgic":ti,ab,kw OR "fenbid":ti,ab,kw OR "fenbid forte":ti,ab,kw OR "fenopine":ti,ab,kw OR "fenpaed":ti,ab,kw OR "fevralt":ti,ab,kw OR "fiedosin":ti,ab,kw OR "flamicon":ti,ab,kw OR "flarin":ti,ab,kw OR "fluibron febbre e dolore":ti,ab,kw OR "fluifort febbre e dolore":ti,ab,kw OR "focus":ti,ab,kw OR "forsium":ti,ab,kw OR "frenidor":ti,ab,kw OR "froben dolore e febbre":ti,ab,kw OR "froben dolore e":ti,ab,kw OR "infiammazione":ti,ab,kw OR "frobekids febbre e dolore":ti,ab,kw OR "galprofen":ti,ab,kw OR "galprofen max":ti,ab,kw OR "gelib":ti,ab,kw OR "gelufene":ti,ab,kw OR "gyno-neuralgin":ti,ab,kw OR "h-loniten":ti,ab,kw OR "halprin":ti,ab,kw OR "haltran":ti,ab,kw OR "hemagene tailleur":ti,ab,kw OR "holuren":ti,ab,kw OR "ib-100":ti,ab,kw OR "ib-u-ron":ti,ab,kw OR "ibacut":ti,ab,kw OR "ibalgin":ti,ab,kw OR "ibalgin baby":ti,ab,kw OR "ibalgin express":ti,ab,kw OR "ibalgin forte":ti,ab,kw OR "ibalgin gel":ti,ab,kw OR "ibalgin instant":ti,ab,kw OR "ibalgin junior":ti,ab,kw OR "ibalgin krem":ti,ab,kw OR "ibalgin neo":ti,ab,kw OR "ibalgin rapidcaps":ti,ab,kw OR "ibenal":ti,ab,kw OR "ibenal forte":ti,ab,kw OR "ibenal max":ti,ab,kw OR "ibetin":ti,ab,kw OR "iblasin":ti,ab,kw OR "ibofen":ti,ab,kw OR "ibosure":ti,ab,kw OR "ibu":ti,ab,kw OR "ibu akut":ti,ab,kw OR "ibu slow":ti,ab,kw OR "ibu-4":ti,ab,kw OR "ibu-6":ti,ab,kw OR "ibu-8":ti,ab,kw OR "ibu-dent":ti,ab,kw OR "ibu-puren":ti,ab,kw OR "ibu-slow":ti,ab,kw OR "ibu-tab":ti,ab,kw OR "ibu-tab 200":ti,ab,kw OR "ibuaristo akut":ti,ab,kw OR "ibubel":ti,ab,kw OR "ibuberl":ti,ab,kw OR "ibubeta":ti,ab,kw OR "ibucalm":ti,ab,kw OR "ibucalmin":ti,ab,kw OR "ibucaps":ti,ab,kw OR "ibudak":ti,ab,kw OR "ibudex":ti,ab,kw OR "ibudol":ti,ab,kw OR "ibudolor":ti,ab,kw OR "ibufarmalid":ti,ab,kw OR "ibufem":ti,ab,kw OR "ibufen":ti,ab,kw OR "ibuflam":ti,ab,kw OR "ibufug":ti,ab,kw OR "ibugard":ti,ab,kw OR "ibugel":ti,ab,kw OR "ibugel forte":ti,ab,kw OR "ibugesic":ti,ab,kw OR "ibuhexal akut":ti,ab,kw OR "ibukern":ti,ab,kw OR "ibukey":ti,ab,kw OR "ibuklaph":ti,ab,kw OR "ibuleve":ti,ab,kw OR "ibulgan":ti,ab,kw OR "ibuloid":ti,ab,kw OR "ibum":ti,ab,kw OR "ibum femina":ti,ab,kw OR "ibum forte":ti,ab,kw OR "ibum supermax":ti,ab,kw OR "ibumal":ti,ab,kw OR "ibumax":ti,ab,kw OR "ibumax forte":ti,ab,kw OR "ibumed":ti,ab,kw OR "ibumenol":ti,ab,kw OR "ibumetin forte":ti,ab,kw OR "ibumousse":ti,ab,kw OR "ibunid":ti,ab,kw OR "ibunin":ti,ab,kw OR "ibupar":ti,ab,kw OR "ibupar forte":ti,ab,kw OR "ibupen":ti,ab,kw OR "ibupirac":ti,ab,kw OR "ibupradoll":ti,ab,kw OR "ibuprex":ti,ab,kw OR "ibuprex max":ti,ab,kw OR "ibuprin":ti,ab,kw OR "ibuprocin":ti,ab,kw OR "ibuprofen klinge 600":ti,ab,kw OR "ibuprofen potassium":ti,ab,kw OR "ibuprofen sodium":ti,ab,kw OR "ibuprofene":ti,ab,kw OR "ibuprohm":ti,ab,kw OR "ibuprom":ti,ab,kw OR "ibuprom forte":ti,ab,kw OR "ibuprom max":ti,ab,kw OR "ibuprom sport":ti,ab,kw OR "iburapid":ti,ab,kw OR "ibured":ti,ab,kw OR "ibured forte":ti,ab,kw OR "iburon":ti,ab,kw OR "ibusal":ti,ab,kw OR "ibusan":ti,ab,kw OR "ibusolve":ti,ab,kw OR "ibuspray":ti,ab,kw OR "ibustar":ti,ab,kw OR "ibustar forte":ti,ab,kw OR "ibustick":ti,ab,kw OR "ibusynth":ti,ab,kw OR "ibutabs":ti,ab,kw OR "ibutact":ti,ab,kw OR "ibutad":ti,ab,kw OR "ibuteva":ti,ab,kw OR "ibutop":ti,ab,kw OR "ibuvalen":ti,ab,kw OR "ibuvida":ti,ab,kw OR "ibux":ti,ab,kw OR "ibuxin":ti,ab,kw OR "idyl sr":ti,ab,kw OR "ifenin":ti,ab,kw OR "imofen":ti,ab,kw OR "infant's motrin":ti,ab,kw OR "infibu":ti,ab,kw OR "inflanor":ti,ab,kw OR "inflanor forte":ti,ab,kw OR "inoflon":ti,ab,kw OR "ipren":ti,ab,kw OR "iprensa":ti,ab,kw OR "irfen":ti,ab,kw OR "junifen":ti,ab,kw OR "junior strength advil":ti,ab,kw OR "junior strength ibuprofen":ti,ab,kw OR "junior strength motrin":ti,ab,kw OR "junipro":ti,ab,kw OR "kendo":ti,ab,kw OR "kenfen":ti,ab,kw OR "kidofen":ti,ab,kw OR "kontraneural":ti,ab,kw OR "lamidon":ti,ab,kw OR "larofen":ti,ab,kw OR "levifen":ti,ab,kw OR "librofem":ti,ab,kw OR "liderfeme":ti,ab,kw OR "liderfen":ti,ab,kw OR "lidifen":ti,ab,kw OR "liptan":ti,ab,kw OR "lopane":ti,ab,kw OR "los-u-fen":ti,ab,kw OR "lotempen":ti,ab,kw OR "malafene":ti,ab,kw OR "maxagesic":ti,ab,kw OR "men r 1451":ti,ab,kw OR "medicol":ti,ab,kw OR "medifen":ti,ab,kw OR "medipren":ti,ab,kw OR "mediprin":ti,ab,kw OR "melfen":ti,ab,kw OR "mensoton":ti,ab,kw OR "metafen":ti,ab,kw OR "midol 200":ti,ab,kw OR "midol liquid gels":ti,ab,kw OR "mig":ti,ab,kw OR "mig forte":ti,ab,kw OR "mig junior":ti,ab,kw OR "mig pediatric":ti,ab,kw OR "milifen":ti,ab,kw OR "miofen":ti,ab,kw OR "momenflogo":ti,ab,kw OR "moment":ti,ab,kw OR "momentact":ti,ab,kw OR "momentact analgesico":ti,ab,kw OR "momentfene":ti,ab,kw OR "motrin childrens":ti,ab,kw OR "motrin ib":ti,ab,kw OR "motrin migraine pain":ti,ab,kw OR "mynosedin":ti,ab,kw OR "nagifen-d":ti,ab,kw OR "napacetin":ti,ab,kw OR "neforan":ti,ab,kw OR "neo borocillina infiammazione e dolore":ti,ab,kw OR "neobrufen":ti,ab,kw OR "neobrufen retard":ti,ab,kw OR "neodol":ti,ab,kw OR "neodol forte":ti,ab,kw OR "neofen":ti,ab,kw OR "neofen forte":ti,ab,kw OR "neofen neo-forte":ti,ab,kw OR "neofen plus":ti,ab,kw OR "nerofen":ti,ab,kw OR "neutropain":ti,ab,kw OR "nobfelon":ti,ab,kw OR "nobgen":ti,ab,kw OR "norflam-t":ti,ab,kw OR "noritis":ti,ab,kw OR "norton":ti,ab,kw OR "novidol":ti,ab,kw OR "novogent":ti,ab,kw OR "novogent n":ti,ab,kw OR "novoprofen":ti,ab,kw OR "nugin":ti,ab,kw OR "nureflex":ti,ab,kw OR "nureflex lp":ti,ab,kw OR "nurodon":ti,ab,kw OR "nurofen":ti,ab,kw OR "nurofen active":ti,ab,kw OR "nurofen expres":ti,ab,kw OR "nurofen express":ti,ab,kw OR "nurofen express femina":ti,ab,kw OR "nurofen express forte":ti,ab,kw OR "nurofen fastine":ti,ab,kw OR "nurofen flextin":ti,ab,kw OR "nurofen for children":ti,ab,kw OR "nurofen forte":ti,ab,kw OR "nurofen forte express":ti,ab,kw OR "nurofen gel":ti,ab,kw OR "nurofen instant":ti,ab,kw OR "nurofen junior":ti,ab,kw OR "nurofen musc":ti,ab,kw OR "nurofen non-aqua":ti,ab,kw OR "nurofen patch":ti,ab,kw OR "nurofen rapid":ti,ab,kw OR "nurofen rapid forte":ti,ab,kw OR "nurofen recovery":ti,ab,kw OR "nurofen xpress":ti,ab,kw OR "nurofen zavance":ti,ab,kw OR "nurofencaps":ti,ab,kw OR "nurofenjunior":ti,ab,kw OR "nurofenkid":ti,ab,kw OR "nurofenplast":ti,ab,kw OR "nurofentabs":ti,ab,kw OR "nurofenteen":ti,ab,kw OR "nuroflex":ti,ab,kw OR "optalidon ibu":ti,ab,kw OR "optifen":ti,ab,kw OR "opturem":ti,ab,kw OR "ostarin":ti,ab,kw OR "ostofen":ti,ab,kw OR "ozonol":ti,ab,kw OR "paduden":ti,ab,kw OR "paduden forte":ti,ab,kw OR "paduden sr":ti,ab,kw OR "paediatric advil":ti,ab,kw OR "paidofebril":ti,ab,kw OR "paidofen":ti,ab,kw OR "panactive":ti,ab,kw OR "panafen":ti,ab,kw OR "pathofen":ti,ab,kw OR "pedea":ti,ab,kw OR "pediacare fever":ti,ab,kw OR "pediatric advil":ti,ab,kw OR "pediprofen":ti,ab,kw OR "perdophen pediatrie":ti,ab,kw OR "perofen":ti,ab,kw OR "pfeil zahnschmerz forte":ti,ab,kw OR "phorpain":ti,ab,kw OR "phorpain gel":ti,ab,kw OR "pirexin":ti,ab,kw OR "potassium ibuprofen":ti,ab,kw OR "proartinal":ti,ab,kw OR "profen":ti,ab,kw OR "profeno":ti,ab,kw OR "proff":ti,ab,kw OR "proflex":ti,ab,kw OR "proris":ti,ab,kw OR "provin":ti,ab,kw OR "provon":ti,ab,kw OR

	<p>"quadrax":ti,ab,kw OR "radian b":ti,ab,kw OR "rafen":ti,ab,kw OR "ranofen":ti,ab,kw OR "rapidol s":ti,ab,kw OR "rapidophen":ti,ab,kw OR "rapidophen forte":ti,ab,kw OR "ratiodor":ti,ab,kw OR "rebugen":ti,ab,kw OR "renidon":ti,ab,kw OR "reuprofen":ti,ab,kw OR "reuvol":ti,ab,kw OR "rhelafen":ti,ab,kw OR "rhelafen forte":ti,ab,kw OR "riflonet":ti,ab,kw OR "rofixdol febbre e dolore":ti,ab,kw OR "roidenin":ti,ab,kw OR "rolibfar":ti,ab,kw OR "rufan":ti,ab,kw OR "rupan":ti,ab,kw OR "sakitol":ti,ab,kw OR "saniprom":ti,ab,kw OR "saridon n":ti,ab,kw OR "sarixell":ti,ab,kw OR "schmerz-dolgit":ti,ab,kw OR "schufen":ti,ab,kw OR "seclodin":ti,ab,kw OR "sodium ibuprofen":ti,ab,kw OR "solibu":ti,ab,kw OR "solufen lidose":ti,ab,kw OR "solvium":ti,ab,kw OR "spalt":ti,ab,kw OR "spalt forte":ti,ab,kw OR "spalt migrane":ti,ab,kw OR "spalt mobil":ti,ab,kw OR "spididol analgesico":ti,ab,kw OR "stribu":ti,ab,kw OR "subitene":ti,ab,kw OR "syafen":ti,ab,kw OR "syntofene":ti,ab,kw OR "tabprofen":ti,ab,kw OR "tabalon":ti,ab,kw OR "tabalon 400":ti,ab,kw OR "taskine":ti,ab,kw OR "tatanal":ti,ab,kw OR "tefin":ti,ab,kw OR "tofen":ti,ab,kw OR "tendar":ti,ab,kw OR "tricalma":ti,ab,kw OR "trifene":ti,ab,kw OR "tvingestin":ti,ab,kw OR "umafen":ti,ab,kw OR "unipro":ti,ab,kw OR "upfen":ti,ab,kw OR "uprofen":ti,ab,kw OR "urem":ti,ab,kw OR "viamal febbre e dolore":ti,ab,kw OR "x 0002":ti,ab,kw OR "x0002":ti,ab,kw OR "zafen":ti,ab,kw OR "zavryl":ti,ab,kw OR "zenalgin":ti,ab,kw OR "zofen":ti,ab,kw OR "Intravenous ibuprofen":ti,ab,kw OR "parenteral ibuprofen":ti,ab,kw OR "Ibuprofeny":ti,ab,kw</p>
#9	[mh "Acetaminophen"]
#10	<p>"Acetaminophen":ti,ab,kw OR "Acetaminophen":ti,ab,kw OR "Hydroxyacetanilide":ti,ab,kw OR "APAP":ti,ab,kw OR "p-Acetamidophenol":ti,ab,kw OR "p-Hydroxyacetanilide":ti,ab,kw OR "Paracetamol":ti,ab,kw OR "N-(4-Hydroxyphenyl)acetanilide":ti,ab,kw OR "Acetamidophenol":ti,ab,kw OR "N-Acetyl-p-aminophenol":ti,ab,kw OR "Acephen":ti,ab,kw OR "Acetaco":ti,ab,kw OR "Tylenol":ti,ab,kw OR "Anacin-3":ti,ab,kw OR "Anacin 3":ti,ab,kw OR "Anacin3":ti,ab,kw OR "Datriil":ti,ab,kw OR "Panadol":ti,ab,kw OR "Acamol":ti,ab,kw OR "Algotropyl":ti,ab,kw OR "4 acetamidophenol":ti,ab,kw OR "4 acetaminophenol":ti,ab,kw OR "4 acetylamino phenol":ti,ab,kw OR "4 hydroxyacetanilide":ti,ab,kw OR "4' hydroxyacetanilide":ti,ab,kw OR "a-mol":ti,ab,kw OR "abenol":ti,ab,kw OR "acamoli forte suppositories for kids":ti,ab,kw OR "acenol":ti,ab,kw OR "acet suppositories":ti,ab,kw OR "acetaflex":ti,ab,kw OR "acetalgin":ti,ab,kw OR "acetamino phenol":ti,ab,kw OR "acetaminophene":ti,ab,kw OR "acetaminophenol":ti,ab,kw OR "acetamol":ti,ab,kw OR "acetomenophen":ti,ab,kw OR "acetylamino phenol":ti,ab,kw OR "adoren":ti,ab,kw OR "afebrin":ti,ab,kw OR "algiafin":ti,ab,kw OR "algocit":ti,ab,kw OR "algofen":ti,ab,kw OR "algestase mono":ti,ab,kw OR "alphagesic":ti,ab,kw OR "altridexamol":ti,ab,kw OR "alvedon":ti,ab,kw OR "amadil":ti,ab,kw OR "amadol":ti,ab,kw OR "anadin":ti,ab,kw OR "anafon":ti,ab,kw OR "analgiser":ti,ab,kw OR "antidol":ti,ab,kw OR "apamide":ti,ab,kw OR "apiredol":ti,ab,kw OR "apiretal":ti,ab,kw OR "apirex":ti,ab,kw OR "apotel":ti,ab,kw OR "arax":ti,ab,kw OR "arfen":ti,ab,kw OR "arthralgen":ti,ab,kw OR "atamel":ti,ab,kw OR "ben-u-ron":ti,ab,kw OR "benuron":ti,ab,kw OR "biogesic":ti,ab,kw OR "biogesic suspension":ti,ab,kw OR "bodrex":ti,ab,kw OR "calapol":ti,ab,kw OR "calodol":ti,ab,kw OR "calonal":ti,ab,kw OR "calpol":ti,ab,kw OR "causalon":ti,ab,kw OR "cemol":ti,ab,kw OR "christamol":ti,ab,kw OR "claradol":ti,ab,kw OR "clocephen":ti,ab,kw OR "cp 500":ti,ab,kw OR "cp500":ti,ab,kw OR "croix blanche mono":ti,ab,kw OR "cupanol":ti,ab,kw OR "dafalgan":ti,ab,kw OR "dafalgan forte":ti,ab,kw OR "dafalgancaps":ti,ab,kw OR "dafalganhop":ti,ab,kw OR "dafalgantabs":ti,ab,kw OR "daga":ti,ab,kw OR "daleron":ti,ab,kw OR "daro":ti,ab,kw OR "defebryl":ti,ab,kw OR "depon":ti,ab,kw OR "depyretin":ti,ab,kw OR "difenatil":ti,ab,kw OR "dirox":ti,ab,kw OR "dismifen":ti,ab,kw OR "disprol":ti,ab,kw OR "dolal":ti,ab,kw OR "dolex":ti,ab,kw OR "dolex 500":ti,ab,kw OR "dolflash":ti,ab,kw OR "doliprane":ti,ab,kw OR "dolipranecaps":ti,ab,kw OR "dolitabs":ti,ab,kw OR "dolko":ti,ab,kw OR "dolocatil":ti,ab,kw OR "dolofen":ti,ab,kw OR "dololavi":ti,ab,kw OR "dolomol":ti,ab,kw OR "doloramol":ti,ab,kw OR "dolorin":ti,ab,kw OR "dolorol":ti,ab,kw OR "dolostop":ti,ab,kw OR "dolotec":ti,ab,kw OR "dolotemp":ti,ab,kw OR "dolprone":ti,ab,kw OR "dolstic":ti,ab,kw OR "doltem":ti,ab,kw OR "drilan":ti,ab,kw OR "dristan af":ti,ab,kw OR "dulsi feb":ti,ab,kw OR "duorol":ti,ab,kw OR "dymadon":ti,ab,kw OR "efetamol":ti,ab,kw OR "efferaldol flas":ti,ab,kw OR "efferalgan":ti,ab,kw OR "efferalgan 500":ti,ab,kw OR "efferalgan forte":ti,ab,kw OR "efferalganmed":ti,ab,kw OR "efferalganodis":ti,ab,kw OR "efferamol":ti,ab,kw OR "efferelgan":ti,ab,kw OR "enelfa":ti,ab,kw OR "eneril":ti,ab,kw OR "eraldor":ti,ab,kw OR "eu med":ti,ab,kw OR "exopon":ti,ab,kw OR "expandol":ti,ab,kw OR "febrectal":ti,ab,kw OR "febridol":ti,ab,kw OR "febrilix":ti,ab,kw OR "fendon":ti,ab,kw OR "fervev":ti,ab,kw OR "fibrinol":ti,ab,kw OR "fizamol":ti,ab,kw OR "fortolin":ti,ab,kw OR "galpharm six plus pain relief":ti,ab,kw OR "gelocatil":ti,ab,kw OR "geluprane 500":ti,ab,kw OR "gewadal-pamol":ti,ab,kw OR "gunaceta":ti,ab,kw OR "headache strength allerest":ti,ab,kw OR "hedex":ti,ab,kw OR "helporal":ti,ab,kw OR "holdofeb":ti,ab,kw OR "infants' feverall":ti,ab,kw OR "influbene c":ti,ab,kw OR "influbene n":ti,ab,kw OR "injectapap":ti,ab,kw OR "janupap":ti,ab,kw OR "kamolas":ti,ab,kw OR "kyofen":ti,ab,kw OR "lekadol":ti,ab,kw OR "lekadol direkt":ti,ab,kw OR "lekadol forte":ti,ab,kw OR "lemgrip":ti,ab,kw OR "lemsip cold and flu":ti,ab,kw OR "letamol":ti,ab,kw OR "liquiprin":ti,ab,kw OR "lotemp":ti,ab,kw OR "lupocet":ti,ab,kw OR "lupocet forte":ti,ab,kw OR "lyteca":ti,ab,kw OR "malidens":ti,ab,kw OR "mandanol":ti,ab,kw OR "medamol":ti,ab,kw OR "medipyrin":ti,ab,kw OR "meforagesic":ti,ab,kw OR "megapar":ti,ab,kw OR "megapar forte":ti,ab,kw OR "metagesic":ti,ab,kw OR "metalid":ti,ab,kw OR "mexalen":ti,ab,kw OR "milidon 500":ti,ab,kw OR "minopan":ti,ab,kw OR "mobistix":ti,ab,kw OR "instant":ti,ab,kw OR "mypara":ti,ab,kw OR "n acetyl 4 aminophenol":ti,ab,kw OR "n acetyl para aminophenol":ti,ab,kw OR "nalgesik":ti,ab,kw OR "napamol":ti,ab,kw OR "napap":ti,ab,kw OR "naprex":ti,ab,kw OR "nebs":ti,ab,kw OR "nektol 500":ti,ab,kw OR "neocitran":ti,ab,kw OR "neodalmin":ti,ab,kw OR "neopap":ti,ab,kw OR "nevral":ti,ab,kw OR "nideran":ti,ab,kw OR "nilapur":ti,ab,kw OR "nirolex febbre e dolore":ti,ab,kw OR "nisidinasol":ti,ab,kw OR "nobedon":ti,ab,kw OR "nuridol":ti,ab,kw OR "nysacetol":ti,ab,kw OR "ofirmev":ti,ab,kw OR "pacemol":ti,ab,kw OR "pacimol":ti,ab,kw OR "padolieve":ti,ab,kw OR "padolieve max":ti,ab,kw OR "pamal":ti,ab,kw OR "pamol":ti,ab,kw OR "pamol f":ti,ab,kw OR "pamol flash":ti,ab,kw OR "panacit":ti,ab,kw OR "panadol actifast":ti,ab,kw OR "panadol advance":ti,ab,kw OR "panadol extra strength":ti,ab,kw OR "panadol fasttabs":ti,ab,kw OR "panadol forte":ti,ab,kw OR "panadol hot":ti,ab,kw OR "panadol max strength cold and flu":ti,ab,kw OR "panadol novum":ti,ab,kw OR "panadol optizorb":ti,ab,kw OR "panadol pore":ti,ab,kw OR "panadol rapid":ti,ab,kw OR "panadol soluble":ti,ab,kw OR "panadol soluble max":ti,ab,kw OR "panadol zapp":ti,ab,kw OR "panamax":ti,ab,kw OR "panaprex":ti,ab,kw OR "panasorb":ti,ab,kw OR "panasorbe":ti,ab,kw OR "panodil":ti,ab,kw OR "para acetamidophenol":ti,ab,kw OR "para acetylamino phenol":ti,ab,kw OR "para</p>

	<p>hydroxyacetanilide":ti,ab,kw OR "para suppo":ti,ab,kw OR "para-hot":ti,ab,kw OR "para-supps":ti,ab,kw OR "para-tabs":ti,ab,kw OR "paraceon":ti,ab,kw OR "paracet":ti,ab,kw OR "paraceta 500":ti,ab,kw OR "paracetalgina":ti,ab,kw OR "paracetaminophenol":ti,ab,kw OR "paracetamol ester":ti,ab,kw OR "paracetamol":ti,ab,kw OR "paracut":ti,ab,kw OR "paradol":ti,ab,kw OR "parafizz":ti,ab,kw OR "parafusiv":ti,ab,kw OR "parageniol":ti,ab,kw OR "paragin":ti,ab,kw OR "paralen":ti,ab,kw OR "paralen rapid":ti,ab,kw OR "paralief":ti,ab,kw OR "paralink":ti,ab,kw OR "paralyoc":ti,ab,kw OR "paramax":ti,ab,kw OR "paramax forte":ti,ab,kw OR "paramax junior":ti,ab,kw OR "paramax rap":ti,ab,kw OR "paramax rapid":ti,ab,kw OR "paramegal":ti,ab,kw OR "paramidol":ti,ab,kw OR "paramolan":ti,ab,kw OR "parapaed":ti,ab,kw OR "parapaed junior":ti,ab,kw OR "parapaed six plus":ti,ab,kw OR "paraphar":ti,ab,kw OR "parapo":ti,ab,kw OR "parapyrex":ti,ab,kw OR "paraserts":ti,ab,kw OR "parasolve":ti,ab,kw OR "paratabs":ti,ab,kw OR "paraveganio":ti,ab,kw OR "paravescent":ti,ab,kw OR "paravict":ti,ab,kw OR "parvid":ti,ab,kw OR "pasolind":ti,ab,kw OR "pasolind n":ti,ab,kw OR "paximol":ti,ab,kw OR "petam":ti,ab,kw OR "pedicetamol":ti,ab,kw OR "pedipan":ti,ab,kw OR "penral-night":ti,ab,kw OR "perfalgan":ti,ab,kw OR "phenaphen":ti,ab,kw OR "phizamol":ti,ab,kw OR "pinex":ti,ab,kw OR "piros":ti,ab,kw OR "polarfen":ti,ab,kw OR "predimol":ti,ab,kw OR "prompt":ti,ab,kw OR "prosinus":ti,ab,kw OR "protalgon":ti,ab,kw OR "puernol":ti,ab,kw OR "pyrigesic":ti,ab,kw OR "raperon":ti,ab,kw OR "rapidol":ti,ab,kw OR "relaphen":ti,ab,kw OR "reliv":ti,ab,kw OR "remedol":ti,ab,kw OR "revanin":ti,ab,kw OR "rhinapen elixir":ti,ab,kw OR "rhodapap":ti,ab,kw OR "rowalief":ti,ab,kw OR "roxamol gelcaps":ti,ab,kw OR "rubophen":ti,ab,kw OR "salzone":ti,ab,kw OR "sanador":ti,ab,kw OR "sedarene adultes":ti,ab,kw OR "sedarene enfants":ti,ab,kw OR "sedes a":ti,ab,kw OR "serimol":ti,ab,kw OR "setamol":ti,ab,kw OR "sinaspril":ti,ab,kw OR "sinebriv":ti,ab,kw OR "sinedol":ti,ab,kw OR "sinpro":ti,ab,kw OR "snp 810":ti,ab,kw OR "snp 830":ti,ab,kw OR "snp 840":ti,ab,kw OR "snp810":ti,ab,kw OR "snp830":ti,ab,kw OR "snp840":ti,ab,kw OR "solpaone":ti,ab,kw OR "sootheze six plus":ti,ab,kw OR "supofen":ti,ab,kw OR "tabalgina":ti,ab,kw OR "tachipirin":ti,ab,kw OR "tachipirina":ti,ab,kw OR "taganopain":ti,ab,kw OR "tapar":ti,ab,kw OR "tempra":ti,ab,kw OR "tempte":ti,ab,kw OR "temzzard":ti,ab,kw OR "termadec febbre e dolore":ti,ab,kw OR "termalgina":ti,ab,kw OR "termofren":ti,ab,kw OR "teva-mexalen":ti,ab,kw OR "therimin":ti,ab,kw OR "tipol":ti,ab,kw OR "tipol max":ti,ab,kw OR "tralgona":ti,ab,kw OR "tralgona elixir":ti,ab,kw OR "tramil":ti,ab,kw OR "treuphadol":ti,ab,kw OR "turpan":ti,ab,kw OR "tylenol":ti,ab,kw OR "tylenol extra fuerte":ti,ab,kw OR "tylenol forte":ti,ab,kw OR "tylenol nr 1":ti,ab,kw OR "tylex":ti,ab,kw OR "valadol":ti,ab,kw OR "wegmal":ti,ab,kw OR "winadol":ti,ab,kw OR "winasorb":ti,ab,kw OR "xebramol":ti,ab,kw OR "xumadol":ti,ab,kw OR "zipamol":ti,ab,kw OR "zolben":ti,ab,kw OR "zydinol":ti,ab,kw OR "intravenous acetaminophen":ti,ab,kw OR "parenteral acetaminophen":ti,ab,kw</p>
#11	#7 OR #8 OR #9 OR #10
#12	[mh "Pain, Postoperative"]
#13	<p>"Pain, Postoperative":ti,ab,kw OR "Post-surgical Pain":ti,ab,kw OR "Pain, Post-surgical":ti,ab,kw OR "Post surgical Pain":ti,ab,kw OR "Pain, Post-operative":ti,ab,kw OR "Pain, Post operative":ti,ab,kw OR "Postsurgical Pain":ti,ab,kw OR "Pain, Postsurgical":ti,ab,kw OR "Post-operative Pain":ti,ab,kw OR "Post operative Pain":ti,ab,kw OR "Post-operative Pains":ti,ab,kw OR "Postoperative Pain":ti,ab,kw OR "Postoperative Pain, Acute":ti,ab,kw OR "Pain, Acute Postoperative":ti,ab,kw OR "Acute Postoperative Pain":ti,ab,kw OR "Acute Post-operative Pain":ti,ab,kw OR "Acute Post operative Pain":ti,ab,kw OR "Post-operative Pain, Acute":ti,ab,kw OR "Pain, Acute Post-operative":ti,ab,kw OR "Post operative Pain, Acute":ti,ab,kw OR "post operation pain":ti,ab,kw OR "post-surgery pain":ti,ab,kw OR "postoperation pain":ti,ab,kw OR "postsurgery pain":ti,ab,kw OR "postoperative":ti,ab,kw OR "postsurgery":ti,ab,kw</p>
#14	[mh "Analgesics, Opioid"]
#15	<p>"Analgesics, Opioid":ti,ab,kw OR "Opioid Analgesics":ti,ab,kw OR "Opioid Analgesic":ti,ab,kw OR "Analgesic, Opioid":ti,ab,kw OR "Opioids":ti,ab,kw OR "Opioid":ti,ab,kw OR "Partial Opioid Agonists":ti,ab,kw OR "Agonists, Partial Opioid":ti,ab,kw OR "Opioid Agonists, Partial":ti,ab,kw OR "Opioid Partial Agonists":ti,ab,kw OR "Agonists, Opioid Partial":ti,ab,kw OR "Partial Agonists, Opioid":ti,ab,kw OR "Full Opioid Agonists":ti,ab,kw OR "Agonists, Full Opioid":ti,ab,kw OR "Opioid Agonists, Full":ti,ab,kw OR "Opioid Full Agonists":ti,ab,kw OR "Agonists, Opioid Full":ti,ab,kw OR "Full Agonists, Opioid":ti,ab,kw OR "Opioid Mixed Agonist-Antagonists":ti,ab,kw OR "Agonist-Antagonists, Opioid Mixed":ti,ab,kw OR "Mixed Agonist-Antagonists, Opioid":ti,ab,kw OR "Opioid Mixed Agonist Antagonists":ti,ab,kw OR "narcotic analgesic agent":ti,ab,kw OR "agent, narcotic analgesic":ti,ab,kw OR "agent, narcotic analgetic":ti,ab,kw OR "anaesthetic analgesic agent":ti,ab,kw OR "analgesic anaesthetic agent":ti,ab,kw OR "analgesic anesthetic agent":ti,ab,kw OR "analgesics, narcotic":ti,ab,kw OR "analgesics, narcotic agonist antagonist":ti,ab,kw OR "analgesics, narcotic agonist-antagonist":ti,ab,kw OR "analgesics, narcotic like":ti,ab,kw OR "analgesics, narcotic-like":ti,ab,kw OR "anesthetic analgesic agent":ti,ab,kw OR "narcotic analgesic":ti,ab,kw OR "narcotic analgesics":ti,ab,kw OR "narcotic analgetic agent":ti,ab,kw OR "opioid consumption":ti,ab,kw</p>
#16	<p>"18,19-dihydroetorphine":ti,ab,kw OR "acetaminophen, hydrocodone drug combination":ti,ab,kw OR "acrylfentanyl":ti,ab,kw OR "Alfentanil":ti,ab,kw OR "Alphaprodine":ti,ab,kw OR "beta-casomorphins":ti,ab,kw OR "brorphine":ti,ab,kw OR "Buprenorphine":ti,ab,kw OR "Buprenorphine, Naloxone Drug Combination":ti,ab,kw OR "Butorphanol":ti,ab,kw OR "carfentanil":ti,ab,kw OR "Codeine":ti,ab,kw OR "crotonylfentanyl":ti,ab,kw OR "cyclopropylfentanyl":ti,ab,kw OR "deltorphan I, Ala(2)":ti,ab,kw OR "dermorphin":ti,ab,kw OR "desomorphine":ti,ab,kw OR "Dextromoramide":ti,ab,kw OR "Dextropropoxyphene":ti,ab,kw OR "dezocine":ti,ab,kw OR "dihydrocodeine":ti,ab,kw OR "Dihydromorphine":ti,ab,kw OR "Diphenoxylate":ti,ab,kw OR "Dsuvia":ti,ab,kw OR "dynorphin (1-13)":ti,ab,kw OR "endomorphin 1":ti,ab,kw OR "endomorphin 2":ti,ab,kw OR "Enkephalin, Ala(2)-MePhe(4)-Gly(5)-":ti,ab,kw OR "Enkephalin, D-Penicillamine (2,5)":ti,ab,kw OR "enkephalin-Met, Ala(2)":ti,ab,kw OR "eseroline":ti,ab,kw OR "etazene":ti,ab,kw OR "Ethylketocyclazocine":ti,ab,kw OR "Ethylmorphine":ti,ab,kw OR "Etorphine":ti,ab,kw OR "Fentanyl":ti,ab,kw OR "furanyl fentanyl":ti,ab,kw OR "Heroin":ti,ab,kw OR "Hydrocodone":ti,ab,kw OR "Hydromorphone":ti,ab,kw OR "kappa-opioid agonist JT09":ti,ab,kw OR "ketobemidone":ti,ab,kw OR "Levorphanol":ti,ab,kw OR "lofentanil":ti,ab,kw OR "Meperidine":ti,ab,kw OR "Meptazinol":ti,ab,kw OR "Methadone":ti,ab,kw OR "Methadyl Acetate":ti,ab,kw OR "Morphine":ti,ab,kw OR "Nalbuphine":ti,ab,kw OR "nocistatin":ti,ab,kw OR "normethadone":ti,ab,kw OR "O-demethyltramadol":ti,ab,kw OR "Opiate Alkaloids":ti,ab,kw OR</p>

	"Opium":ti,ab,kw OR "OREX-1019":ti,ab,kw OR "Oxycodone":ti,ab,kw OR "Oxymorphone":ti,ab,kw OR "paracymethadol":ti,ab,kw OR "Pentazocine":ti,ab,kw OR "Phenazocine":ti,ab,kw OR "Phenoperidine":ti,ab,kw OR "Pirinitramide":ti,ab,kw OR "Promedol":ti,ab,kw OR "protopine":ti,ab,kw OR "Remifentanil":ti,ab,kw OR "Sufentanil":ti,ab,kw OR "Tapentadol":ti,ab,kw OR "Tilidine":ti,ab,kw OR "Tramadol":ti,ab,kw OR "tramadol, dexketoprofen drug combination":ti,ab,kw OR "tyrosyl-1,2,3,4-tetrahydro-3-isoquinolinecarbonyl-phenylalanyl-phenylalanine":ti,ab,kw
#17	[mh "Morphine"]
#18	"Morphine":ti,ab,kw OR "Morphia":ti,ab,kw OR "Morphine Chloride":ti,ab,kw OR "Chloride, Morphine":ti,ab,kw OR "Morphine Sulfate":ti,ab,kw OR "Sulfate, Morphine":ti,ab,kw OR "SDZ 202-250":ti,ab,kw OR "SDZ 202 250":ti,ab,kw OR "SDZ 202250":ti,ab,kw OR "SDZ202-250":ti,ab,kw OR "SDZ202 250":ti,ab,kw OR "SDZ202250":ti,ab,kw OR "Morphine Sulfate (2:1), Pentahydrate":ti,ab,kw OR "MS Contin":ti,ab,kw OR "Contin, MS":ti,ab,kw OR "Oramorph SR":ti,ab,kw OR "Duramorph":ti,ab,kw OR "Morphine Sulfate (2:1), Anhydrous":ti,ab,kw OR "3, 6 dihydroxy n methyl 4, 5 epoxy 7 morphinene":ti,ab,kw OR "anpec":ti,ab,kw OR "cis morphine":ti,ab,kw OR "duromorph":ti,ab,kw OR "epimorph":ti,ab,kw OR "microcrystalline morphine suspension":ti,ab,kw OR "miro":ti,ab,kw OR "morfin":ti,ab,kw OR "morfine":ti,ab,kw OR "morphin":ti,ab,kw OR "morphine alkaloid":ti,ab,kw OR "morphine chlorhydrate":ti,ab,kw OR "morphine hydrochloride":ti,ab,kw OR "morphine suspension":ti,ab,kw OR "morphinium":ti,ab,kw OR "morphium":ti,ab,kw OR "opso":ti,ab,kw OR "skenan":ti,ab,kw OR "trans":ti,ab,kw OR "morphine":ti,ab,kw
#19	[mh "Fentanyl"]
#20	"Fentanyl":ti,ab,kw OR "Phentanyl":ti,ab,kw OR "Fentanest":ti,ab,kw OR "Fentanyl Citrate":ti,ab,kw OR "R-4263":ti,ab,kw OR "R 4263":ti,ab,kw OR "R4263":ti,ab,kw OR "Sublimaze":ti,ab,kw OR "Transmucosal Oral Fentanyl Citrate":ti,ab,kw OR "Duragesic":ti,ab,kw OR "Durogesic":ti,ab,kw OR "Fentora":ti,ab,kw OR "1 (2 phenylethyl) 4 (n phenylpropionamido) piperidine":ti,ab,kw OR "1 phenethyl 4 (n phenylpropionamido) piperidine":ti,ab,kw OR "1 phenethyl 4 n propionylanilinopiperidine":ti,ab,kw OR "ad 923":ti,ab,kw OR "ad923":ti,ab,kw OR "ap 48":ti,ab,kw OR "ap48":ti,ab,kw OR "az 003":ti,ab,kw OR "az003":ti,ab,kw OR "defent":ti,ab,kw OR "duragesic 100":ti,ab,kw OR "duragesic 12":ti,ab,kw OR "duragesic 25":ti,ab,kw OR "duragesic 37":ti,ab,kw OR "duragesic 50":ti,ab,kw OR "duragesic 75":ti,ab,kw OR "duragesic-100":ti,ab,kw OR "duragesic-12":ti,ab,kw OR "duragesic-25":ti,ab,kw OR "duragesic-37":ti,ab,kw OR "duragesic-50":ti,ab,kw OR "duragesic-75":ti,ab,kw OR "durotop":ti,ab,kw OR "en 3294":ti,ab,kw OR "en3294":ti,ab,kw OR "epufen":ti,ab,kw OR "fentalis":ti,ab,kw OR "fentamat":ti,ab,kw OR "fentamyl":ti,ab,kw OR "fentanex":ti,ab,kw OR "fentanil":ti,ab,kw OR "fentanyl buccal soluble film":ti,ab,kw OR "fentanyl hydrochloride":ti,ab,kw OR "fentanyl iontophoretic":ti,ab,kw OR "fentanyl-100":ti,ab,kw OR "fentanyl-12":ti,ab,kw OR "fentanyl-25":ti,ab,kw OR "fentanyl-37":ti,ab,kw OR "fentanyl-50":ti,ab,kw OR "fentanyl-62":ti,ab,kw OR "fentanyl-75":ti,ab,kw OR "fentanyl-87":ti,ab,kw OR "fetanex":ti,ab,kw OR "fetnanyl":ti,ab,kw OR "jns 020qd":ti,ab,kw OR "jns020qd":ti,ab,kw OR "leptanal":ti,ab,kw OR "matrifen":ti,ab,kw OR "mezolar matrix":ti,ab,kw OR "n (1 phenethyl 4 piperidinyl) n phenylpropionamide":ti,ab,kw OR "n (1 phenethyl 4 piperidyl) propionanilide":ti,ab,kw OR "n (1 phenethylpiperid 4 yl) propionanilide":ti,ab,kw OR "n (1 phenethylpiperidin 4 yl) n phenylpropionamide":ti,ab,kw OR "n phenethyl 4 (n propionylanilino) piperidine":ti,ab,kw OR "n phenyl n [1 (2 phenylethyl) 4 piperidinyl] propanamide":ti,ab,kw OR "n phenyl n [1 (2 phenylethyl) piperidin 4 yl] propanamide":ti,ab,kw OR "pecfent":ti,ab,kw OR "rapinyl":ti,ab,kw OR "recuvyra":ti,ab,kw OR "subsys":ti,ab,kw OR "tanyl":ti,ab,kw OR "tilotrans":ti,ab,kw OR "transfenta":ti,ab,kw OR "waferyl":ti,ab,kw
#21	[mh "Analgesia"]
#22	"Analgesia":ti,ab,kw OR "Analgesias":ti,ab,kw
#23	[mh "Analgesia, Patient-Controlled"]
#24	"Analgesia, Patient-Controlled":ti,ab,kw OR "Patient-Controlled Analgesia":ti,ab,kw OR "patient controlled analgesia":ti,ab,kw OR "patient controlled anaesthesia":ti,ab,kw OR "patient controlled anesthesia":ti,ab,kw OR "patient-controlled analgesia":ti,ab,kw OR "self anaesthesia":ti,ab,kw OR "self anesthesia":ti,ab,kw OR "pca":ti,ab,kw
#25	#12 OR #13 OR #14 OR #15 OR #16 OR #17 OR #18 OR #19 OR #20 OR #21 OR #22 OR #23 OR #24
#26	#6 AND #11 AND #25